

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

[] Other Diagnostic Studies

- | | |
|--|---|
| <input type="checkbox"/> ECG Pre/Post Op | Routine, Ancillary Performed, Status: Future, Expires: S+366, Pre-Admission Testing |
| <input type="checkbox"/> Pv carotid duplex | Status: Future, Expires: S+366, Routine, Clinic Performed |
| <input type="checkbox"/> Us vein mapping lower extremity | Status: Future, Expires: S+366, Routine, Clinic Performed |

[] Respiratory

- | | |
|--|---|
| <input type="checkbox"/> Spirometry pre & post w/ bronchodilator | Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type? |
| <input type="checkbox"/> Body Plethysmographic lung volumes | Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type? |
| <input type="checkbox"/> Diffusion capacity | Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type? |
| <input type="checkbox"/> Spirometry | Routine, Status: Future, Expires: S+366, Pre-Admission Testing
Encounter type? |

[] Laboratory: Preoperative Testing Labs - All Facilities

- | | |
|--|---|
| <input type="checkbox"/> CBC with platelet and differential | Routine, Status: Future, Expires: S+366, Clinic Collect
LabCorp Has the patient fasted?
Pre-Admission Testing |
| <input type="checkbox"/> Comprehensive metabolic panel | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Basic metabolic panel | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Prothrombin time with INR | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Partial thromboplastin time | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Hepatic function panel | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Platelet function analysis | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Hemoglobin A1c | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> Type and screen | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> hCG qualitative, serum screen | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> POC pregnancy, urine | Routine, Point Of Care, Pre-Admission Testing |
| <input type="checkbox"/> Urinalysis, automated with microscopy | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |

[] Laboratory: Additional Labs - HMWB, HMSJ, HMSTJ, HMTW

- | | |
|---|--|
| <input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture | Routine, Status: Future, Expires: S+366, Clinic Collect
Specimen Source: Urine
Specimen Site:
Pre-Admission Testing |
| <input type="checkbox"/> CBC hemogram | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |
| <input type="checkbox"/> HIV 1, 2 antibody | Routine, Status: Future, Expires: S+366, Clinic Collect,
Pre-Admission Testing |

<input type="checkbox"/>	Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMSL, HMW	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Laboratory: Additional Labs - HMM	
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/>	CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	HIV Ag/Ab combination	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/>	Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/>	T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/>	Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

Case Request

<input type="checkbox"/>	Case request operating room	Scheduling/ADT, Scheduling/ADT
--------------------------	-----------------------------	--------------------------------

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

<input type="checkbox"/>	Admit to Inpatient	Diagnosis: Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
--------------------------	--------------------	--

Isolation Status

<input type="checkbox"/>	Airborne isolation status	Details
<input type="checkbox"/>	Contact isolation status	Details
<input type="checkbox"/>	Droplet isolation status	Details
<input type="checkbox"/>	Enteric isolation status	Details

Precautions

<input type="checkbox"/>	Aspiration precautions	Pre-op
<input type="checkbox"/>	Fall precautions	Increased observation level needed: Pre-op
<input type="checkbox"/>	Latex precautions	Pre-op
<input type="checkbox"/>	Seizure precautions	Increased observation level needed: Pre-op

Nursing

Vital Signs

<input checked="" type="checkbox"/>	Vital signs - T/P/R/BP (per unit protocol)	Routine, Per unit protocol, Pre-op
-------------------------------------	--	------------------------------------

Nursing

<input type="checkbox"/>	Place/Maintain sequential compression device continuous	Routine, Continuous, Pre-op
<input type="checkbox"/>	Place antiembolic stockings	Routine, Once, Pre-op
<input type="checkbox"/>	Confirm NPO Status	Routine, Until discontinued, Starting S, Pre-op

<input type="checkbox"/> Pulse oximetry check	Routine, Daily Current FIO2 or Room Air: On arrival to Pre-Op (Day Surgery), Pre-op
<input type="checkbox"/> No anticoagulants INcluding UNfractionated heparin	Routine, Until discontinued, Starting S Reason for "No" order: Pre-op
<input type="checkbox"/> No anti-platelet agents INcluding aspirin	Routine, Until discontinued, Starting S Reason for "No" order: Pre-op

Notify

<input type="checkbox"/> Notify Physician if current oral intake status could potentially delay procedure start time	Routine, Until discontinued, Starting S, if current oral intake status could potentially delay procedure start time, Pre-op
--	---

Consent

<input checked="" type="checkbox"/> Complete Consent Form	Routine, Once Consent For: Procedure: Diagnosis/Condition: Physician: Pre-op
---	---

Diet

<input checked="" type="checkbox"/> NPO	Diet effective now, Starting S NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-After Midnight	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-Except meds	Diet effective now, Starting S NPO: Except meds Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO after midnight except Meds	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Except meds Pre-Operative fasting options: Pre-op

IV Fluids

Insert and Maintain IV

<input type="checkbox"/> Initiate and maintain IV	
<input type="checkbox"/> Insert peripheral IV	Routine, Once, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % flush	10 mL, intravenous, every 12 hours scheduled, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care, Pre-op

IV Fluids (Single Response)

<input type="checkbox"/> lactated Ringer's infusion	intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % infusion	intravenous, continuous, Pre-op
<input type="checkbox"/> sodium chloride 0.9 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op
<input type="checkbox"/> dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op

Medications

Peri-Operative Prophylaxis: For Patients LESS than or EQUAL to 120 kg

<input type="checkbox"/> ampicillin-sulbactam (UNASYN) IV	3 g, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> ampicillin IV	2 g, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Reason for Therapy:
<input type="checkbox"/> ceFAZolin (ANCEF) IV - For patients LESS than or EQUAL to 120 kg	2 g, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> clindamycin (CLEOCIN) IV	900 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV	750 mg, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> metronidazole (FLAGYL) IV	500 mg, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> vancomycin (VANCOCIN) IVPB	15 mg/kg, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis

Peri-Operative Prophylaxis: For Patients GREATER than 120 kg

<input type="checkbox"/> ampicillin-sulbactam (UNASYN) IV	3 g, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> ampicillin IV	2 g, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Reason for Therapy:
<input type="checkbox"/> ceFAZolin (ANCEF) IV - For Patients GREATER than 120 kg	3 g, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> clindamycin (CLEOCIN) IV	900 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> levofloxacin (LEVAQUIN) IV	750 mg, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> metronidazole (FLAGYL) IV	500 mg, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op Type of Therapy: New Anti-Infective Order Reason for Therapy: Surgical Prophylaxis

Miscellaneous Medications

<input type="checkbox"/> oxymetazoline (AFRIN) 0.05 % nasal spray	2 spray, Each Nare, 30 min pre-op, For 1 , Pre-op Instill 2 sprays per nostril(s) every 5 minutes starting 30 minutes prior to procedure. For sinus cases, nasal surgery and septoplasty
<input type="checkbox"/> lidocaine (XYLOCAINE) 40 mg/mL (4 %) nebulized inhalation	4 mL, inhalation, once, For 1 Doses, Pre-op Give by inhalation 30 minutes PRIOR to surgery.

VTE

Labs

Laboratory

<input type="checkbox"/> Type and screen	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> CBC and differential	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Partial thromboplastin time	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR	STAT For 1 Occurrences, Pre-op

<input type="checkbox"/>	Platelet function P2Y12	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Platelet function analysis	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Glucose level	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Basic metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Comprehensive metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Bedside Glucose and Notify	"And" Linked Panel
<input type="checkbox"/>	Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/>	Notify Physician of bedside blood glucose LESS than 70 mg/dL and GREATER than 180 mg/dL	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/>	Calcium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Magnesium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Phosphorus	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	hCG qualitative, serum screen	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Pregnancy, urine	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op

Cardiology

Cardiology

<input type="checkbox"/>	ECG Pre/Post Op	Routine, Once Clinical Indications: Interpreting Physician: Pre-op
--------------------------	-----------------	---

Imaging

X-ray

<input type="checkbox"/>	Chest 2 Vw	Routine, 1 time imaging For 1 , Pre-op
<input type="checkbox"/>	Chest 1 Vw Portable	Routine, 1 time imaging For 1 , Pre-op

Other Studies

Respiratory

Respiratory

<input type="checkbox"/>	Oxygen therapy nasal cannula 2 Lpm	Routine, Continuous Device 1: Nasal Cannula Rate in liters per minute: 2 Lpm Rate in tenths of a liter per minute: O2 %: Titrate to keep O2 Sat Above: 90% Indications for O2 therapy: Device 2: Device 3: Indications for O2 therapy: Pre-op
--------------------------	------------------------------------	---

Rehab

Consults

Lab Draw

<input type="checkbox"/>	Type and screen	Once, Pre-op
--------------------------	-----------------	--------------

Blood Products

<input type="checkbox"/>	Red Blood Cells
--------------------------	-----------------

<input type="checkbox"/> Prepare RBC	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse RBC	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> Platelets	
<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse platelets	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> Fresh Frozen Plasma	
<input type="checkbox"/> Prepare fresh frozen plasma	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse fresh frozen plasma	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> Cryoprecipitate	
<input type="checkbox"/> Prepare cryoprecipitate	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse cryoprecipitate	Routine Transfusion duration per unit (hrs): Pre-op

IV Fluid for Blood Transfusion

<input type="checkbox"/> sodium chloride 0.9 % infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
---	---

Medications

<input type="checkbox"/> acetaminophen (TYLENOL) tablet	oral, once, For 1 Doses, Pre-op
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) tablet	25 mg, oral, once, For 1 Doses, Pre-op
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) injection	25 mg, intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> hydrocortisone sodium succinate (PF) (Solu-CORTEF) injection	intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> furosemide (LASIX) injection	intravenous, once, For 1 Doses, Pre-op
<input type="checkbox"/> furosemide (LASIX) tablet	oral, once, For 1 Doses, Pre-op

Additional Orders