

XR Arthrogram [2538]

Nursing

IV Fluids

Medications

XR Arthrograms - HMMH, HMSJ, HMSTC Only

[] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
[] iohexol (OMNIPAQUE 180)	20 mL, intra-arterial, once in imaging, contrast, For 1 Doses Intra-articular route
[] iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram, For 1 Doses Intra-articular route
[] lidocaine 1% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses Intra-articular route

XR Arthrograms - HMW Only

[] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
[] gadobutrol (GADAVIST) 7.5 mL vial solution	7.5 mL, intravenous, once in imaging, contrast, For 1 Doses
[] iohexol (OMNIPAQUE 180)	20 mL, intra-arterial, once in imaging, contrast, For 1 Doses Intra-articular route
[] iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram, For 1 Doses Intra-articular route
[] lidocaine 1% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses Intra-articular route

XR Arthrograms - HMTW Only

[] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
[] gadobutrol (GADAVIST) 10 mL vial solution	10 mL, intravenous, once in imaging, contrast, For 1 Doses
[] iohexol (OMNIPAQUE 180)	20 mL, intra-arterial, once in imaging, contrast, For 1 Doses Intra-articular route
[] iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram, For 1 Doses Intra-articular route
[] lidocaine 1% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses Intra-articular route
[] diatrizoate meglumine (HYPAQUE) 30 % solution	300 mL, urethral, once in imaging, contrast, For 1 Doses

XR Arthrograms - HMWB Only

[] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
[] iohexol (OMNIPAQUE 180)	20 mL, intra-arterial, once in imaging, contrast, For 1 Doses Intra-articular route
[] iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram, For 1 Doses Intra-articular route
[] lidocaine 2% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses Intra-articular route

XR Arthrograms - HMSL Only

[] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
[] iohexol (OMNIPAQUE 180)	20 mL, intra-arterial, once in imaging, contrast, For 1 Doses Intra-articular route

<input type="checkbox"/> iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram, For 1 Doses Intra-articular route
<input type="checkbox"/> lidocaine 1% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses Intra-articular route
<input type="checkbox"/> lidocaine PF (XYLOCAINE) 10 mg/mL (1 %) injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses Intra-articular route
<input type="checkbox"/> gadobutrol (GADAVIST) vial solution	7.5 mL, intravenous, once in imaging, contrast, xr arthrogram, For 1 Doses
<input type="checkbox"/> methylPREDNISolone acetate (DEPO-MEDROL) injection	40 mg, intra-articular, once in imaging, xr arthrogram, For 1 Doses
<input type="checkbox"/> bupivacaine (PF) (MARCAINE) 0.25 % (2.5 mg/mL) solution	injection, once in imaging, For 1 Doses

XR Arthrograms - HMSTJ Only

<input type="checkbox"/> gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
<input type="checkbox"/> gadobutrol (GADAVIST) 10 mL vial solution	10 mL, intra-articular, once in imaging, contrast, xr arthrogram, For 1 Doses
<input type="checkbox"/> iohexol (OMNIPAQUE 180)	20 mL, intra-arterial, once in imaging, contrast, For 1 Doses Intra-articular route
<input type="checkbox"/> iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram, For 1 Doses Intra-articular route
<input type="checkbox"/> lidocaine 1% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram, For 1 Doses

Additional Orders