

Antithymocyte (THYMOGLOBULIN) Order Set [2544]

General

Nursing

Nursing

<input checked="" type="checkbox"/> Check for central line or peripherally-inserted central line	Routine, Once For 1 Occurrences
<input type="checkbox"/> Notify Physician for vitals:	Routine, Until discontinued, Starting S Temperature greater than: Temperature less than: Systolic BP greater than: Systolic BP less than: 90 Diastolic BP greater than: Diastolic BP less than: 60 MAP less than: Heart rate greater than (BPM): 110 Heart rate less than (BPM): Respiratory rate greater than: Respiratory rate less than: SpO2 less than:
<input type="checkbox"/> Notify Physician if no central access	Routine, Once For 1 Occurrences
<input type="checkbox"/> Notify Physician for severe chills	Routine, Until discontinued, Starting S

IV Fluids

Medications

Premedications

<input type="checkbox"/> acetaminophen (TYLENOL) tablet	650 mg, oral, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> Premedication: diphenhydramine (BENADRYL) tablet OR injection	"Or" Linked Panel
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) tablet	25 mg, oral, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) injection	25 mg, intravenous, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> Premedications: Steroids (Single Response)	
<input type="checkbox"/> methylPREDNISolone sodium succinate (Solu-MEDROL) injection	intravenous, once, For 1 Doses Give 1 hour PRIOR to Antithymocyte Globulin infusion.
<input type="checkbox"/> hydrocortisone sodium succinate (Solu-CORTEF) injection	intravenous, once, For 1 Doses Give 30 minutes PRIOR to Antithymocyte Globulin infusion.

Antithymocute Globulin

<input checked="" type="checkbox"/> antithymocyte globulin (rabbit) (THYMOGLOBULIN) 1.5 mg/kg in sodium chloride 0.9 % 250 mL IVPB	1.5 mg/kg, intravenous, for 6 Hours, once, Starting H+30 Minutes, For 1 Doses
--	---

Infusion Reaction Management

<input checked="" type="checkbox"/> hydrocortisone sodium succinate (Solu-CORTEF) injection	100 mg, intravenous, once PRN, chills, For 1 Doses
<input checked="" type="checkbox"/> acetaminophen (TYLENOL) tablet	325 mg, oral, every 6 hours PRN, fever, for Temperature GREATER than 100 F

Labs

Laboratory in AM

<input type="checkbox"/> CBC with platelet and differential	AM draw For 1 Occurrences
---	---------------------------

Cardiology

Imaging

Other Studies

Respiratory

Rehab

Consults

For Physician Consult orders use sidebar

Additional Orders