

Fever without a Source, Adult [668]

General

Nursing

Nursing

<input type="checkbox"/> PPD Test	"And" Linked Panel
<input type="checkbox"/> tuberculin injection	5 Units, intradermal, once, For 1 Doses
<input type="checkbox"/> Read PPD	Once, Starting S+2 For 1 Occurrences
	Read and document PPD 48 to 72 hours after placement.

IV Fluids

Medications

Antipyretics

Maximum Dose of acetaminophen is 3000 mg per day

<input type="checkbox"/> acetaminophen (TYLENOL) tablet - For oral temperature 101F or GREATER	650 mg, oral, every 4 hours PRN, fever
<input type="checkbox"/> aspirin enteric coated tablet - For oral temperature of 101F or GREATER	650 mg, oral, every 4 hours PRN, fever
<input type="checkbox"/> aspirin suppository - For oral temperature of 101F or GREATER	600 mg, rectal, every 4 hours PRN, fever, when NPO Do not exceed 4 grams per 24 hours. For rectal use only.

VTE

Labs

Labs Today - HMM

<input type="checkbox"/> CBC	Once
<input type="checkbox"/> D-dimer, quantitative	Once
<input type="checkbox"/> Sedimentation rate	Once
<input type="checkbox"/> ANA	Once
<input type="checkbox"/> Basic metabolic panel	Once
<input type="checkbox"/> Comprehensive metabolic panel	Once
<input type="checkbox"/> C-reactive protein	Once
<input type="checkbox"/> hCG, serum, quantitative	Once
<input type="checkbox"/> Hepatic function panel	Once
<input type="checkbox"/> HIV Ag/Ab combination	Once
<input type="checkbox"/> HIV1 genotyping	Once
<input type="checkbox"/> Hepatitis panel, acute	Once
<input type="checkbox"/> Heterophile Ab screen	Once
<input type="checkbox"/> Lactate dehydrogenase	Once
<input type="checkbox"/> Rheumatoid factor	Once
<input type="checkbox"/> Troponin I	Once
<input type="checkbox"/> Urinalysis with microscopic	Once

Microbiology

<input type="checkbox"/> Blood culture x 2	"And" Linked Panel
<input type="checkbox"/> Blood Culture (Aerobic & Anaerobic)	Once, Blood Collect before antibiotics given. Blood cultures should be ordered x2, with each set drawn from a different peripheral site. If unable to draw both sets from a peripheral site, please call the lab for assistance; an IV line should NEVER be used.

<input type="checkbox"/> Blood Culture (Aerobic & Anaerobic)	Once, Blood Collect before antibiotics given. Blood cultures should be ordered x2, with each set drawn from a different peripheral site. If unable to draw both sets from a peripheral site, please call the lab for assistance; an IV line should NEVER be used.
<input type="checkbox"/> Respiratory pathogen panel	Once
<input type="checkbox"/> Sputum culture	Once, Sputum
<input type="checkbox"/> Stool culture	Once, Stool
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Once Specimen Source: Urine Specimen Site:

Cardiology

Echo

<input type="checkbox"/> Echocardiogram 2d complete with contrast	Routine, 1 time imaging
<input type="checkbox"/> Echocardiogram transesophageal	Routine, 1 time imaging

Diagnostic Imaging

MRI/MRA

<input type="checkbox"/> MRI Abdomen W Wo Contrast	Routine, 1 time imaging For 1
<input type="checkbox"/> MRI Brain W Wo Contrast	Routine, 1 time imaging For 1
<input type="checkbox"/> MRI Chest W Wo Contrast	Routine, 1 time imaging For 1

CT

<input type="checkbox"/> CT Abdomen Pelvis W Wo Contrast	Routine, 1 time imaging For 1
<input type="checkbox"/> CT Abdomen Pelvis W/WO Contrast (Omnipaque)	"And" Linked Panel For those with iodine allergies, please order the panel with Readi-Cat (barium sulfate).

<input type="checkbox"/> CT Abdomen Pelvis W Wo Contrast	Routine, 1 time imaging For 1
<input type="checkbox"/> iohexol (OMNIPAQUE) 300 mg iodine/mL oral solution	30 mL, oral, once
<input type="checkbox"/> CT Chest W Wo Contrast	Routine, 1 time imaging For 1
<input type="checkbox"/> CT Maxillofacial Wo Contrast	Routine, 1 time imaging For 1

X-Ray

<input type="checkbox"/> Chest 2 Vw	Routine, 1 time imaging For 1
<input type="checkbox"/> Sinuses < 3 Vw	Routine, 1 time imaging For 1

US

<input type="checkbox"/> US Abdomen Complete	Routine, 1 time imaging For 1
<input type="checkbox"/> US Pelvic Transvaginal	Routine, 1 time imaging For 1

Nuclear

<input type="checkbox"/> NM Inflammatory Wbc Limited W Indium 111	Routine, 1 time imaging For 1
---	-------------------------------

Other Diagnostic Studies

Other Studies

<input type="checkbox"/> Lumbar Puncture by Radiology	
<input type="checkbox"/> Lumbar Puncture	Routine, 1 time imaging For 1 , Imaging Procedure
<input type="checkbox"/> CSF cell count with differential	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> CSF protein	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs

<input type="checkbox"/> Glucose, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> CSF culture	Once, Cerebrospinal fluid Includes a Gram stain. Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Fungus culture	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> AFB culture	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Cryptococcal antigen	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Cytology (non-gynecological) request	A paper requisition will print when this order is submitted. The printout must accompany the specimen to the lab.
<input type="checkbox"/> LDH, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area, Imaging Proc. Labs
<input type="checkbox"/> Immuno G synthesis rate, CSF	Once This panel requires serum and CSF samples to be sent at the same time. The panel cannot be ordered again within 72 hours. Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> D-dimer, quantitative	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Gabapentin level	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> CSF VDRL	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Lyme disease reflexive panel, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Flow cytometry evaluation	Once Panel: Specimen Type: Reason for evaluation: Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Myelin basic protein, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> BK virus by PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Cytomegalovirus (CMV), PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Epstein Barr Virus (EBV) by PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs

<input type="checkbox"/> Enterovirus by PCR	Once Specimen Source: Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Herpes simplex virus, PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> JC virus, quantitative PCR	Once Specimen Source: Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Toxoplasma gondii qPCR - Viracor	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Varicella zoster, PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> West Nile virus by PCR, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Oligoclonal banding, CSF	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> West Nile virus antibody panel, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Angiotensin converting enzyme, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> NM Lung Ventilation Perfusion	Routine, 1 time imaging For 1
<input type="checkbox"/> USPV Venous Lower Extremity Bilateral	Routine, 1 time imaging For 1
<input type="checkbox"/> USPV Venous Lower Extremity Left	Routine, 1 time imaging For 1
<input type="checkbox"/> USPV Venous Lower Extremity Right	Routine, 1 time imaging For 1

Other Studies

<input type="checkbox"/> Lumbar Puncture by Radiology	
<input type="checkbox"/> Lumbar Puncture	Routine, 1 time imaging For 1 , Imaging Procedure
<input type="checkbox"/> CSF cell count with differential	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> CSF protein	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Glucose, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> CSF culture	Once, Cerebrospinal fluid Includes a Gram stain. Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Fungus culture	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> AFB culture	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Cryptococcal antigen	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs

<input type="checkbox"/> Cytology (non-gynecological) request	A paper requisition will print when this order is submitted. The printout must accompany the specimen to the lab.
<input type="checkbox"/> LDH, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area, Imaging Proc. Labs
<input type="checkbox"/> Immuno G synthesis rate, CSF	Once This panel requires serum and CSF samples to be sent at the same time. The panel cannot be ordered again within 72 hours. Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> D-dimer, quantitative	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Gabapentin level	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> CSF VDRL	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Lyme disease reflexive panel, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Flow cytometry evaluation	Once Panel: Specimen Type: Reason for evaluation: Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Myelin basic protein, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> BK virus by PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Cytomegalovirus (CMV), PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Epstein Barr Virus (EBV) by PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Enterovirus by PCR	Once Specimen Source: Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Herpes simplex virus, PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> JC virus, quantitative PCR	Once Specimen Source: Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Toxoplasma gondii qPCR - Viracor	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs

<input type="checkbox"/> Varicella zoster, PCR	Once Specimen Source: Cerebrospinal Fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> West Nile virus by PCR, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Oligoclonal banding, CSF	Once Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> West Nile virus antibody panel, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> Angiotensin converting enzyme, CSF	Once, Cerebrospinal fluid Specimen to be drawn in Interventional Radiology area., Imaging Proc. Labs
<input type="checkbox"/> NM Lung Ventilation Perfusion	Routine, 1 time imaging For 1
<input type="checkbox"/> PV duplex arterial lower extremity bilat	Routine, 1 time imaging
<input type="checkbox"/> PV duplex arterial lower extremity left	Routine, 1 time imaging
<input type="checkbox"/> PV duplex arterial lower extremity right	Routine, 1 time imaging

Respiratory

Rehab

Consults

For Physician Consult orders use sidebar

Additional Orders