

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

<input type="checkbox"/> Other Diagnostic Studies	
<input type="checkbox"/> ECG Pre/Post Op	Routine, Ancillary Performed, Status: Future, Expires: S+366, Pre-Admission Testing
<input type="checkbox"/> Pv carotid duplex	Status: Future, Expires: S+366, Routine, Clinic Performed
<input type="checkbox"/> Us vein mapping lower extremity	Status: Future, Expires: S+366, Routine, Clinic Performed
<input type="checkbox"/> Respiratory	
<input type="checkbox"/> Spirometry pre & post w/ bronchodilator	Routine, Status: Future, Expires: S+366, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Body Plethysmographic lung volumes	Routine, Status: Future, Expires: S+366, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Diffusion capacity	Routine, Status: Future, Expires: S+366, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Spirometry	Routine, Status: Future, Expires: S+366, Pre-Admission Testing Encounter type?
<input type="checkbox"/> Laboratory: Preoperative Testing Labs - All Facilities	
<input type="checkbox"/> CBC with platelet and differential	Routine, Status: Future, Expires: S+366, Clinic Collect LabCorp Has the patient fasted? Pre-Admission Testing
<input type="checkbox"/> Comprehensive metabolic panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Basic metabolic panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Prothrombin time with INR	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Partial thromboplastin time	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hepatic function panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Platelet function analysis	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Hemoglobin A1c	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Type and screen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> hCG qualitative, serum screen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> POC pregnancy, urine	Routine, Point Of Care, Pre-Admission Testing
<input type="checkbox"/> Urinalysis, automated with microscopy	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Laboratory: Additional Labs - HMWB, HMSJ, HMSTJ, HMTW	
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
<input type="checkbox"/> CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> HIV 1, 2 antibody	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

[] Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
[] T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] <u>Laboratory: Additional Labs - HMSL, HMW</u>	
[] Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
[] CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
[] T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] <u>Laboratory: Additional Labs - HMH</u>	
[] Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+366, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
[] CBC hemogram	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] HIV Ag/Ab combination	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Syphilis treponemal IgG	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
[] Hepatitis acute panel	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

<input type="checkbox"/> Thromboelastograph	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> MRSA screen culture	Routine, Status: Future, Expires: S+366, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
<input type="checkbox"/> T3	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> T4	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Thyroid stimulating hormone	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing
<input type="checkbox"/> Prostate specific antigen	Routine, Status: Future, Expires: S+366, Clinic Collect, Pre-Admission Testing

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

<input type="checkbox"/> Admit to Inpatient	Diagnosis: Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
---	--

Case Request

<input type="checkbox"/> Case request operating room	Scheduling/ADT, Scheduling/ADT
--	--------------------------------

Nursing

Nursing

<input checked="" type="checkbox"/> Vital Signs	Routine, Per unit protocol Temperature; Pulse; Respiration; Blood Pressure, Pre-op
<input checked="" type="checkbox"/> Confirm NPO status	Routine, Until discontinued, Starting S Confirm NPO status, Pre-op
<input checked="" type="checkbox"/> Height and weight	Routine, Once For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Place/Maintain sequential compression device continuous	Routine, Once For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Complete Consent For	Routine, Once Procedure: Diagnosis/Condition: Physician: Pre-op

Notify Surgeon

Routine, Until discontinued, Starting S
Temperature greater than: 100.5
Temperature less than:
Systolic BP greater than: 160
Systolic BP less than: 90
Diastolic BP greater than: 100
Diastolic BP less than: 50
MAP less than: 60
Heart rate greater than (BPM): 100
Heart rate less than (BPM): 60
Respiratory rate greater than: 25
Respiratory rate less than: 8
SpO2 less than: 92

Diet

NPO

Diet effective now, Starting S
NPO:
Pre-Operative fasting options:
Pre-op

Diet

Diet effective now, Starting S
Diet(s):
Advance Diet as Tolerated?
Liquid Consistency:
Fluid Restriction:
Foods to Avoid:
Pre-op

IV Fluids

IV Fluids

sodium chloride 0.9 % infusion

intravenous, continuous, Pre-op

Medications

Ophthalmic Medications

<input type="checkbox"/> ketorolac (ACULAR) 0.4% ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> flurbiprofen (OCUFEN) 0.03% ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> tetracaine HCl (PF) (AKTEN) 0.5 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> pilocarpine (PILOCAR) 1 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> pilocarpine (PILOCAR) 2 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op

Ophthalmic Antibiotics

<input type="checkbox"/> besifloxacin (BESIVANCE) 0.6% ophthalmic suspension	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> moxifloxacin (VIGAMOX) 0.5% ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> gentamicin (GARAMYCIN) 0.3% ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op

Pupillary Dilation

<input type="checkbox"/> atropine 1 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> phenylephrine (MYDFRIN) 2.5 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> cyclopentolate (CYCLODRYL) 1 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> homatropine 5 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op
<input type="checkbox"/> tropicamide (MYDRIACYL) 1 % ophthalmic solution	1 drop, every 5 min, For 3 Doses, Pre-op

IV Antibiotics: For Patients LESS than or EQUAL to 120 kg

<input type="checkbox"/> cefazolin (ANCEF) IV - For Patients LESS than or EQUAL to 120 kg	2 g, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer one hour prior to the opening incision. Reason for Therapy:
---	---

<input type="checkbox"/> cefoxitin (MEFOXIN) IV	2 g, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer one hour prior to the opening incision. Reason for Therapy:
---	---

IV Antibiotics: For Patients GREATER than 120 kg

<input type="checkbox"/> cefazolin (ANCEF) IV - For Patients GREATER than 120 kg	3 g, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer one hour prior to the opening incision. Reason for Therapy:
--	---

<input type="checkbox"/> cefoxitin (MEFOXIN) IV	2 g, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer one hour prior to the opening incision. Reason for Therapy:
---	---

Antibiotics: if Beta-Lactam Allergy

<input type="checkbox"/> levofloxacin (LEVAQUIN) IV solution	500 mg, intravenous, on call to O.R., For 1 Doses, Pre-op On call to the operating room. Administer one hour prior to the opening incision. Reason for Therapy:
--	---

Antibiotics MRSA Suspected

Do not redose post op for patient with CrCl less than 40

<input type="checkbox"/> vancomycin (VANCOCIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op On call to the operating room. Administer one hour prior to the opening incision. Rate should not exceed 1000 mg per hour. Do not exceed MAX dose 2000 mg for surgical prophylaxis. Type of Therapy:
---	--

Respiratory

<input type="checkbox"/> albuterol (VENTOLIN) inhaler	2 puff, inhalation, once, For 1 Doses, Pre-op
<input type="checkbox"/> ipratropium (ATROVENT) nebulizer	0.5 mg, nebulization, once, For 1 Doses, Pre-op Aerosol Delivery Device:

Blocks

Houston Methodist Physician Group (Single Response)

() Dr Yalamanchili	once, Pre-op Needle: Atkinson Syringe: 6 cc
() Dr Yalamanchili Sushma	once, Pre-op Needle: Atkinson Syringe: 6 cc
() Dr Rahul Pandit	once, Pre-op Needle: Atkinson 23G Syringe: 10 cc
() Dr Hilary Beaver	once, Pre-op Needle: Atkinson Syringe: 10 cc
() Dr Amy Coburn - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Amy Coburn - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc

Retina Consultants (Single Response)

() Dr Matthew Benz	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc
() Dr David Brown	once, Pre-op Needle: 25G x 1 1/2 Syringe: 5-6 cc
() Dr Eric Chen	once, Pre-op Needle: 25G x 1 1/2 Syringe: 6 cc
	If doing a Buckle under MAC - Make 2 syringes of the same above
() Dr Richard Fish - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Richard Fish - Van Lente	once, Pre-op Needle: 25 x 1 1/2 Syringe: 10/12 cc
() Dr James C Major	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc
() Dr Ronan O'Malley - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Ronan O'Malley - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Adriene O'Malley	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Kim Rosa	once, Pre-op Needle: Atkinson Syringe: 10/12 cc
() Dr Amy Scheffler	once, Pre-op Needle: 27G x 1 1/4 Syringe: 10 cc
() Dr Tien Wong	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc
() Dr Charles Wykoff	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc

Houston Eye Associates (Single Response)

() Dr Emmanuel Chang	once, Pre-op Needle: Retrobulbar Atkinson Syringe: 10/12 cc
() Dr Carolyn Chen	once, Pre-op Needle: Atkinson
() Dr Ting Fang-Suarez - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Ting Fang-Suarez - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Lindsey Harris	once, Pre-op Needle: Atkinson Syringe: 12 cc

Make block for all patients, even general

() Dr Eric Holz	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10cc
() Dr Andrew Kopel	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Aaron Miller	once, Pre-op Needle: Atkinson Syringe: 10 cc
() Dr Hassan Rahman	once, Pre-op Needle: Atkinson 23G Syringe: 10/12 cc
() Dr Mark Vital	once, Pre-op Needle: Atkinson Syringe: 10/12 cc

Independents (Single Response)

() Dr John Alappatt	once, Pre-op Needle: Atkinson Syringe: 10cc
() Dr Wael Abdelghani	once, Pre-op Needle: Atkinson Syringe: 10/12 cc
() Dr. Asad Abbas - Phacoemulsification with IOL Implantation	
[] flurbiprofen (OCUFEN) 0.03 % ophthalmic solution	1 drop, see admin instructions, For 4 Doses, Pre-op Give 1 drop in the operative eye every 2 minutes x 4 doses
[] proparacaine (ALCAINE) 0.5 % ophthalmic solution	1 drop, see admin instructions, For 4 Doses, Pre-op Give 1 drop in the operative eye every 2 minutes x 4 doses
[] tropicamide (MYDRIACYL) 1 % ophthalmic solution	1 drop, see admin instructions, For 4 Doses, Pre-op Give 1 drop in the operative eye every 2 minutes x 4 doses
[] phenylephrine (NEO-SYNEPHRINE) 10 % ophthalmic solution	1 drop, see admin instructions, For 4 Doses, Pre-op Give 1 drop in the operative eye every 2 minutes x 4 doses
[] cyclopentolate (CYCLODRYL) 1 % ophthalmic solution	1 drop, see admin instructions, For 4 Doses, Pre-op Give 1 drop in the operative eye every 2 minutes x 4 doses
() Dr. Martin J. Arisco - Preoperative Cataract Surgery	
[] proparacaine (ALCAINE) 0.5 % ophthalmic solution	1 drop, every 5 min, For 4 Doses, Pre-op
[] phenylephrine (NEO-SYNEPHRINE) 10 % ophthalmic solution	1 drop, every 5 min, For 4 Doses, Pre-op
[] cyclopentolate (CYCLODRYL) 1 % ophthalmic solution	1 drop, every 5 min, For 4 Doses, Pre-op
[] flurbiprofen (OCUFEN) 0.03 % ophthalmic solution	1 drop, every 5 min, For 4 Doses, Pre-op
[] lactated ringer's infusion	intravenous, continuous, Pre-op Start IV lactated ringers to run KVO, if time permits.
() Dr Milton Boniuk - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Milton Boniuk - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Christopher Fuller	once, Pre-op Needle: 25G Syringe: 10 cc
() Dr Judith Feigon - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Judith Feigon - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Benjamin Frankfort	once, Pre-op Needle: Atkinson Syringe: 6 cc

() Dr Burt Ginsburg - Retrobulbar	once, Pre-op Needle: 25G x 1 1/2 Syringe: 5/6 cc
() Dr Burt Ginsburg - Van Lente	once, Pre-op Needle: 27G x 1 1/4 Syringe: 10/12 cc
() Dr Rex Hawkins - Retrobulbar	once, Pre-op Needle: 25G x 1 1/2 Syringe: 6 cc
() Dr Rex Hawkins - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc
() Dr Helen Li	once, Pre-op Needle: Atkinson Syringe: 12 cc
() Dr. Thomas Marshall - Preoperative Cataract Surgery	
[] proparacaine (ALCAINE) 0.5 % ophthalmic solution	1 drop, once, For 1 Doses, Pre-op
[] tropicamide (MYDRIACYL) 1 % ophthalmic solution	1 drop, every 10 min, For 3 Doses, Pre-op Give 1 drop in the operative eye every 10-15 minutes x 3 doses
[] phenylephrine (NEO-SYNEPHRINE) 10 % ophthalmic solution	1 drop, every 10 min, For 3 Doses, Pre-op Give 1 drop in the operative eye every 10-15 minutes x 3 doses
[] flurbiprofen (OCUFEN) 0.03 % ophthalmic solution	1 drop, every 10 min, For 3 Doses, Pre-op Give 1 drop in the operative eye every 10-15 minutes x 3 doses
[] lactated ringer's infusion	intravenous, continuous, Pre-op Start IV of 1000 mL lactated ringers with #22 Catheter to run KVO, if time permits.
() Dr Regina Sun	once, Pre-op Needle: Atkinson
() Dr Sanders	once, Pre-op Needle: Atkinson Syringe: 10 cc

Baylor (Single Response)

() Dr Carvounis Petros	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Peter Chang	once, Pre-op Needle: 27G x 1 1/4 Syringe: 10/12 cc
() Dr Yvonne Chu	once, Pre-op Needle: Atkinson Syringe: 6 cc
() Dr Coffee	once, Pre-op Needle: Atkinson Syringe: 10 cc
() Dr Marshall B Hamill - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Marshall B Hamill - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() no name - Retrobulbar PKP	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() no name - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc

() Dr Douglas Koch - Retrobulbar Cataract	once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Douglas Koch - Van Lente	Check with Dr Koch if he needs marcaine once, Pre-op Needle: 25G x 1 1/2 Syringe: 10 cc
() Dr Alice Matoba - Retrobulbar	Check with Dr Koch if he needs marcaine once, Pre-op Needle: Atkinson Syringe: 5/6 cc
() Dr Alice Matoba - Van Lente	once, Pre-op Needle: 25G x 1 1/2 Syringe: 10/12 cc
() Dr Stephen Pflugfelder - PKP and Pterygium	once, Pre-op Needle: 30G first, then Atkinson Syringe: 10/12 cc
() Dr Stephen Pflugfelder - Retrobulbar	once, Pre-op Needle: Atkinson Syringe: 10 cc
() Dr Mitchell Weikert - Cataracts & PKP	once, Pre-op Needle: Atkinson Syringe: 10 cc
() Dr Elizabeth Yeu	once, Pre-op Needle: Atkinson Syringe: 10 cc

VTE

Labs

Laboratory

<input type="checkbox"/> Basic metabolic panel	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Comprehensive metabolic panel	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> CBC and differential	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Partial thromboplastin time	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Calcium	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> hCG, serum, qualitative	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Pregnancy, urine	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Urinalysis with microscopic	Once For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR, I-Stat	Once, Pre-op
<input type="checkbox"/> POC glucose	Once, Pre-op

Cardiology

EKG

<input checked="" type="checkbox"/> ECG 12 lead	Routine, Once Clinical Indications: Pre-Op Clearance Interpreting Physician: Pre-op
---	--

Diagnostic Imaging

X-Ray

<input type="checkbox"/> Chest 1 Vw Portable	Routine, 1 time imaging For 1 , Pre-op
<input type="checkbox"/> Chest 2 Vw	Routine, 1 time imaging For 1 , Pre-op

CT

[] CT Orbits Wo Contrast

Routine, 1 time imaging For 1
2 millimeter cuts with direct coronal if possible., Pre-op

Other Diagnostic Studies

Respiratory

Respiratory

[] Oxygen therapy - nasal cannula, 4 Lpm

Routine, Continuous
Device 1: Nasal Cannula
Rate in liters per minute: 4 Lpm
Rate in tenths of a liter per minute:
O2 %:
Titrate to keep O2 Sat Above: 92%
Indications for O2 therapy:
Device 2:
Device 3:
Indications for O2 therapy:
Pre-op

Rehab

Consults

Additional Orders