

Anaphylaxis Management for Adult Patients [3538]

General anaphylaxis signs and symptoms such as:

Generalized Hives, Pruritus, Flushing, Swollen Lips, Tongue or Uvula ASSOCIATED WITH:
Respiratory Compromise such as:

- Dyspnea; stridor; wheezing; bronchospasm OR hypoxemia

AND/OR

Cardiovascular Collapse such as:

- 30% drop in BP; SBP LESS than 90, syncope, collapse, GI pain/vomiting or incontinence

General

Nursing

<input type="checkbox"/>	Vital signs - T/P/R/BP	Routine, Per unit protocol
<input type="checkbox"/>	Nursing communication	Routine, Until discontinued, Starting S Update the allergy in Epic.
<input type="checkbox"/>	Patient education	Routine, Once Patient/Family: Both Education for: Other (specify) if (answer = Other (specify)) Specify: Specify: Allergic reaction to specific medication or immunization. Have patient carry anaphylaxis identification on person to alert emergency personnel of severe allergic tendencies.
<input type="checkbox"/>	Other	

Medications

Medications

<input type="checkbox"/>	EPINEPHrine	
<input type="checkbox"/>	EPINEPHrine (ADRENALIN) 1 mg/mL x1	0.3 mg, intramuscular, once, For 1 Doses
<input type="checkbox"/>	EPINEPHrine (ADRENALIN) 1 mg/mL prn x 3 doses	0.3 mg, intramuscular, every 5 min PRN, anaphylaxis, For 3 Doses
<input type="checkbox"/>	dexamethasone (DECADRON) IV	10 mg, intravenous, once, For 1 Doses
<input type="checkbox"/>	diphenhydrAMINE (BENADRYL) injection	50 mg, intravenous, once, For 1 Doses For hives
<input type="checkbox"/>	famotidine (PEPCID) injection	20 mg, intravenous, once, For 1 Doses For hives
<input type="checkbox"/>	racepinephrine 2.25 % solution for nebulization	0.5 mL, inhalation, once PRN, shortness of breath, stridor, For 1 Doses Aerosol Delivery Device: if (answer = Intrapulmonary Percussive Ventilation (Meta-Neb Device)) Meta-Neb Indications:

<input type="checkbox"/> albuterol (ACCUNEB) nebulizer	2.5 mg, nebulization, once PRN, wheezing, For 1 Doses Aerosol Delivery Device: if (answer = Intrapulmonary Percussive Ventilation (Meta-Neb Device)) Meta-Neb Indications:
<input type="checkbox"/> sodium chloride 0.9 % bolus	1,000 mL, intravenous, once, For 1 Doses
<input type="checkbox"/> Other	

Laboratory

Laboratory

<input type="checkbox"/> Basic metabolic panel	STAT For 1 Occurrences
<input type="checkbox"/> CBC with platelet and differential	STAT For 1 Occurrences
<input type="checkbox"/> Arterial blood gas	STAT For 1 Occurrences
<input type="checkbox"/> Venous blood gas	STAT For 1 Occurrences
<input type="checkbox"/> Lactic acid level	STAT For 1 Occurrences
<input type="checkbox"/> Other	

Cardiology

Cardiology

<input type="checkbox"/> ECG 12 lead	Routine, Once Clinical Indications: if (answer = Other:) Other: Interpreting Physician:
<input type="checkbox"/> Other	

Imaging

X-ray

<input type="checkbox"/> XR Chest 1 Vw Portable	Routine, 1 time imaging For 1
<input type="checkbox"/> Other	

Respiratory

Respiratory

<input type="checkbox"/> Pulse oximetry	Routine, Daily Current FIO2 or Room Air:
<input type="checkbox"/> Oxygen therapy	Routine, Continuous Device 1: if (answer = Nasal Cannula) Rate in liters per minute: Rate in tenths of a liter per minute: O2 %: if (answer = Other (Specify)) Specify O2 %:

if (answer = Simple Face Mask)
Rate in liters per minute:
Rate in tenths of a liter per minute:
O2 %:
if (answer = Other (Specify))
Specify O2 %:
if (answer = High Flow Nasal Cannula (HFNC))
Rate in liters per minute:
Rate in liters per minute:
if (answer = Other (Specify))
Specify lpm:
O2 %:
if (answer = Other (Specify))
Specify O2 %:
O2 %:
if (answer = Other (Specify))
Specify O2 %:
if (answer = Non-rebreather mask)
Rate in liters per minute:
if (answer = T-piece) Or (answer = Aerosol Mask) Or (answer = Face Tent) Or
(answer = Trach Collar)
O2 %:
if (answer = Other (Specify))
Specify O2 %:
if (answer = Venturi Mask)
FiO2:
if (answer = Other (Specify))
Specify O2 %:
if (answer = Other (Specify))
Specify:
Titrate to keep O2 Sat Above: 92%
if (answer = Other (Specify))
Specify titration to keep O2 Sat (%) Above:
Indications for O2 therapy:
if (answer = Other)
Specify:

[] Other