

ED Advanced Altered Mental Status (AMS) [1607]

General

Nursing

Vital Signs

[X] Vital Signs	STAT, Per unit protocol
-----------------	-------------------------

Nursing

[X] ED bedside monitoring	STAT, Continuous
[X] NIH Stroke Scale	STAT, Once
[X] Neurological assessment	STAT, Per unit protocol Assessment to Perform:
[X] Draw labs PRIOR to CT if it will not delay procedure	STAT, Once For 1 Occurrences
[X] Dysphagia screen	STAT, Once No oral medications until dysphagia screen is complete.
[X] No oral medications until dysphagia screen is complete	STAT, Once For 1 Occurrences

Notify

[X] Notify Physician	STAT, Until discontinued, Starting S, If patient presents with risk factors for sepsis, or altered mental status, or abnormal vital signs. Complete ED screening tool and notify ED physician for initiation of sepsis treatment.
----------------------	---

IV Fluids

Peripheral IV Access

[X] Initiate and maintain IV	
[X] Insert peripheral IV	Routine, Once
[X] sodium chloride 0.9 % flush	10 mL, intravenous, every 12 hours scheduled
[X] sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care

IV Fluids

[] sodium chloride 0.9 % bolus 1000 mL	1,000 mL, intravenous, for 30 Minutes, once, For 1 Doses
[] sodium chloride 0.9 % bolus 500 mL	500 mL, intravenous, for 15 Minutes, once, For 1 Doses
[] sodium chloride 0.9 % infusion - 100 mL/hr	100 mL/hr, intravenous, continuous

Medications

VTE

Labs

Labs - STAT

[X] CBC and differential	STAT For 1 Occurrences
[X] Partial thromboplastin time	STAT For 1 Occurrences
[X] Prothrombin time with INR	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[X] Bedside glucose	STAT, Once Perform prior to CT. May use EMS results if available.
[] Lactic acid level	STAT For 1 Occurrences
[] Hepatic function panel	STAT For 1 Occurrences
[] Lipid panel	STAT For 1 Occurrences
[] Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site:
[] Syphilis treponemal IgG	STAT For 1 Occurrences

Labs-STAT

[X] CBC and differential	STAT For 1 Occurrences
[X] Partial thromboplastin time	STAT For 1 Occurrences
[] Prothrombin time panel I-Stat	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[X] Bedside glucose	STAT, Once Perform prior to CT. May use EMS results if available.
[] Lactic acid, I-Stat	STAT For 1 Occurrences
[] Hepatic function panel	STAT For 1 Occurrences
[] Lipid panel	STAT For 1 Occurrences
[] Urinalysis	STAT For 1 Occurrences
[] Urine culture	Once For 1 Occurrences, Urine
[] Syphilis treponemal IgG	STAT For 1 Occurrences

Labs-STAT

[X] CBC and differential	STAT For 1 Occurrences
[X] Partial thromboplastin time	STAT For 1 Occurrences
[] Prothrombin time panel I-Stat	STAT For 1 Occurrences
[X] Comprehensive metabolic panel	STAT For 1 Occurrences
[X] Bedside glucose	STAT, Once Perform prior to CT. May use EMS results if available.
[] Lactic acid level	STAT For 1 Occurrences
[] Hepatic function panel	STAT For 1 Occurrences
[] Lipid panel	STAT For 1 Occurrences
[] Urine Culture and Urinalysis	"And" Linked Panel
[] Urine culture	Once For 1 Occurrences, Urine
[] Urinalysis	STAT For 1 Occurrences
[] Syphilis treponemal IgG	STAT For 1 Occurrences

Labs - Other

[] Troponin	STAT For 1 Occurrences
[] B natriuretic peptide	STAT For 1 Occurrences
[] TSH	STAT For 1 Occurrences
[] Ammonia level	STAT For 1 Occurrences
[] Alcohol level, blood	STAT For 1 Occurrences
[] Urine drugs of abuse screen	STAT For 1 Occurrences

Labs-Other

[] Troponin, I-Stat	STAT For 1 Occurrences
[] B natriuretic pep, I-Stat	STAT For 1 Occurrences
[] TSH	STAT For 1 Occurrences
[] Ammonia level	STAT For 1 Occurrences
[] Alcohol level, blood	STAT For 1 Occurrences
[] Urine drugs of abuse screen	STAT For 1 Occurrences

Lab-Other

[] Troponin, I-Stat	STAT For 1 Occurrences
[] B natriuretic peptide	STAT For 1 Occurrences
[] TSH	STAT For 1 Occurrences
[] Ammonia level	STAT For 1 Occurrences
[] Alcohol level, blood	STAT For 1 Occurrences
[] Urine drugs of abuse screen	STAT For 1 Occurrences

Labs - Based on Medication History

[] Digoxin level	STAT For 1 Occurrences
[] Carbamazepine level, total	STAT For 1 Occurrences
[] Lithium level	STAT For 1 Occurrences
[] Valproic acid level, total	STAT For 1 Occurrences

[] Phenytoin level, total	STAT For 1 Occurrences
----------------------------	------------------------

Labs - Pregnancy

[] hCG QUALitative, urine	STAT For 1 Occurrences
[] hCG QUALitative, serum	STAT For 1 Occurrences
[] POC pregnancy, urine	Once For 1 Occurrences

Microbiology

[] Blood culture x 2	"And" Linked Panel
[] Blood Culture (Aerobic & Anaerobic)	Once, Blood Collect before antibiotics given. Blood cultures should be ordered x2, with each set drawn from a different peripheral site. If unable to draw both sets from a peripheral site, please call the lab for assistance; an IV line should NEVER be used.
[] Blood Culture (Aerobic & Anaerobic)	Once, Blood Collect before antibiotics given. Blood cultures should be ordered x2, with each set drawn from a different peripheral site. If unable to draw both sets from a peripheral site, please call the lab for assistance; an IV line should NEVER be used.

Cardiology

Cardiology

[X] Electrocardiogram, 12-lead	STAT, Once Clinical Indications: Other: Other: CVA/TIA/AMS Interpreting Physician: To be performed by ED Staff - Show immediately to physician.
--------------------------------	---

Imaging

MRI/MRA

[] MRI Brain Wo Contrast	STAT, 1 time imaging For 1
[] MRI Brain W Wo Contrast	STAT, 1 time imaging For 1 Perfusion Brain MRI
[] MRA Head Wo Contrast	STAT, 1 time imaging For 1
[] MRA Neck Wo Contrast	STAT, 1 time imaging For 1
[] MRI Brain Venogram	STAT, 1 time imaging For 1

CT

[] CT Head Wo Contrast	STAT, 1 time imaging For 1 Occurrences
[] CTA Head W Wo Contrast	STAT, 1 time imaging For 1 Occurrences
[] CTA Neck W Wo Contrast	STAT, 1 time imaging For 1 Occurrences
[] CT Stroke Brain Wo Contrast	STAT, 1 time imaging For 1 Occurrences If meets stroke protocol criteria, do immediately

X-Ray

[] Chest 1 Vw Portable	STAT, 1 time imaging For 1 Occurrences
[] Chest 2 Vw	STAT, 1 time imaging For 1 Occurrences
[] Cervical Spine Complete	STAT, 1 time imaging For 1

Other Studies

Respiratory

Respiratory

[X] Oxygen therapy

STAT, Continuous
Device 1: Nasal Cannula
Rate in liters per minute: 2 Lpm
Rate in tenths of a liter per minute:
O2 %:
Titrate to keep O2 Sat Above: 95%
Indications for O2 therapy: Respiratory distress
Device 2:
Device 3:
Indications for O2 therapy:

Rehab

Consults

For Physician Consult orders use sidebar

Additional Orders