

IP CLADRIBINE 0.09 (7 DAYS)

Types: ONCOLOGY TREATMENT

Synonyms: HAIRY, CELL, LEUKE, LEUST, CLADRI, HCL, WEEKLY

Cycle 1	Repeat 1 time	Cycle length: 42 days
Day 1	Perform every 1 day x1	
Provider Communication		
ONC PROVIDER COMMUNICATION 5 Interval: Once Occurrences: -- Comments: Use baseline weight to calculate dose. Adjust dose for weight gains/losses of greater than or equal to 10%.		
Labs		
<input checked="" type="checkbox"/> CBC WITH PLATELET AND DIFFERENTIAL Interval: Once Occurrences: --		
<input checked="" type="checkbox"/> COMPREHENSIVE METABOLIC PANEL Interval: Once Occurrences: --		
<input checked="" type="checkbox"/> MAGNESIUM LEVEL Interval: Once Occurrences: --		
<input type="checkbox"/> LDH Interval: Once Occurrences: --		
<input type="checkbox"/> URIC ACID LEVEL Interval: Once Occurrences: --		
Line Flush		
sodium chloride 0.9 % flush 20 mL Dose: 20 mL Route: intravenous PRN Start: S		
Nursing Orders		
sodium chloride 0.9 % infusion 250 mL Dose: 250 mL Route: intravenous once @ 30 mL/hr for 1 dose Instructions: To keep vein open.		
Hydration		
sodium chloride 0.9 % infusion Dose: 100 mL/hr Route: intravenous continuous Start: S		
Pre-Medications		
<input checked="" type="checkbox"/> ondansetron (ZOFTRAN) tablet 8 mg Dose: 8 mg Route: oral once for 1 dose Start: S Instructions: Administer 30 minutes before chemotherapy.		
<input type="checkbox"/> ondansetron (ZOFTRAN) injection 8 mg Dose: 8 mg Route: intravenous once for 1 dose Start: S Instructions: Administer 30 minutes before chemotherapy.		

Chemotherapy

cladribine (LEUSTATIN) 0.09 mg/kg in sodium chloride 0.9 % 500 mL chemo IVPB

Dose: 0.09 mg/kg Route: intravenous once over 24 Hours for 1 dose
Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	CLADRIBINE 10 MG/10 ML INTRAVENOUS SOLUTION	Medications	0.09 mg/kg	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	Base	500 mL	Yes	Yes

Discharge Nursing Orders

sodium chloride 0.9 % flush 20 mL

Dose: 20 mL Route: intravenous PRN

HEParin, porcine (PF) injection 500 Units

Dose: 500 Units Route: intra-catheter once PRN

Start: S

Instructions:

Concentration: 100 units/mL. Heparin flush for Implanted Vascular Access Device maintenance.

Days 2,3,4,5,6,7

Perform every 1 day x6

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL Route: intravenous once @ 30 mL/hr for 1 dose

Instructions:

To keep vein open.

Pre-Medications

ondansetron (ZOFTRAN) tablet 8 mg

Dose: 8 mg Route: oral once for 1 dose

Start: S

Instructions:

Administer 30 minutes before chemotherapy.

ondansetron (ZOFTRAN) injection 8 mg

Dose: 8 mg Route: intravenous once for 1 dose

Start: S

Instructions:


Administer 30 minutes before chemotherapy.

Chemotherapy

cladribine (LEUSTATIN) 0.09 mg/kg in sodium chloride 0.9 % 500 mL chemo IVPB

Dose: 0.09 mg/kg Route: intravenous once over 24 Hours for 1 dose
Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	CLADRIBINE 10 MG/10 ML INTRAVENOUS SOLUTION	Medications	0.09 mg/kg	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 %	Base	500 mL	Yes	Yes



INTRAVENOUS
SOLUTION