

IP ERIBULIN

Types: ONCOLOGY TREATMENT

Synonyms: ERI, ERIBULIN, HALAVEN, HALA, BREAST

Cycle 1	Repeat 1 time	Cycle length: 21 days
Day 1	Perform every 1 day x1	
Labs		
☒ COMPREHENSIVE METABOLIC PANEL	Interval: Once	Occurrences: --
☒ CBC WITH PLATELET AND DIFFERENTIAL	Interval: Once	Occurrences: --
☒ MAGNESIUM LEVEL	Interval: Once	Occurrences: --
☐ URINALYSIS, AUTOMATED WITH MICROSCOPY	Interval: Once	Occurrences: --
☐ CANCER ANTIGEN 27-29 (CA BR)	Interval: Once	Occurrences: --
Nursing Orders		
TREATMENT CONDITIONS 10	Interval: Until discontinued	Occurrences: --
Comments:	HOLD and notify provider if ANC LESS than 1000; Platelets LESS than 100,000; ALT/AST GREATER than 2.5 times upper normal limit.	
Line Flush		
sodium chloride 0.9 % flush 20 mL	Dose: 20 mL	Route: intravenous PRN
Start: S		
Nursing Orders		
sodium chloride 0.9 % infusion 250 mL	Dose: 250 mL	Route: intravenous once @ 30 mL/hr for 1 dose
Instructions:	To keep vein open.	
Pre-Medications		
☒ ondansetron (ZOFTRAN) tablet 8 mg	Dose: 8 mg	Route: oral once for 1 dose
Start: S		
☐ ondansetron (ZOFTRAN) 4 mg/2 mL injection 8 mg	Dose: 8 mg	Route: intravenous once for 1 dose
Start: S	End: S 11:15 AM	
☐ ondansetron (ZOFTRAN) 4 mg/2 mL 16 mg in dextrose 5% 50 mL IVPB	Dose: 16 mg	Route: intravenous once over 15 Minutes for 1 dose
Start: S	End: S 11:00 AM	
Ingredients:	Name	Type
	ONDANSETRON	Medications
	Dose	Selected
	16 mg	Main
	Adds Vol.	No

			HCL (PF) 4 MG/2 ML INJECTION SOLUTION DEXTROSE 5 % IN Base WATER (D5W) INTRAVENOUS SOLUTION	50 mL	Always	Yes	Ingredient
Chemotherapy							
			EriBULin (HALAVEN) chemo injection 1.4 mg/m2 (Treatment Plan) Dose: 1.4 mg/m2 Route: intravenous once over 5 Minutes for 1 dose Offset: 30 Minutes				
Supportive Care							
			☐ LORAZepam (ATIVAN) injection 1 mg Dose: 1 mg Route: intravenous PRN Start: S				
			☐ LORAZepam (ATIVAN) tablet 1 mg Dose: 1 mg Route: oral PRN Start: S				
Supportive Care							
			☐ promethazine (PHENERGAN) injection 12.5 mg Dose: 12.5 mg Route: injection every 6 hours PRN Start: S				
Discharge Nursing Orders							
			☒ sodium chloride 0.9 % flush 20 mL Dose: 20 mL Route: intravenous PRN				
			☒ HEParin, porcine (PF) injection 500 Units Dose: 500 Units Route: intra-catheter once PRN Start: S Instructions: Concentration: 100 units/mL. Heparin flush for Implanted Vascular Access Device maintenance.				
Post-Medications							
			☐ TBO-FILGRASTIM INJECTION ORDERABLE solution Dose: -- Route: subcutaneous Start: S Rule-Based Template: RULE ONCBCN NEUPOGEN WEIGHT BASED Conditions: Weight > 72 kg Modifications: Weight <= 72 kg Set dose to 480 mcg Set dose to 300 mcg				
Day 8							
							Perform every 1 day x1
Labs							
			☒ COMPREHENSIVE METABOLIC PANEL Interval: Once Occurrences: --				
			☒ CBC WITH PLATELET AND DIFFERENTIAL Interval: Once Occurrences: --				
			☒ MAGNESIUM LEVEL				

Interval: Once Occurrences: --

- ☐ **URINALYSIS, AUTOMATED WITH MICROSCOPY**

Interval: Once Occurrences: --

- ☐ **CANCER ANTIGEN 27-29 (CA BR)**

Interval: Once Occurrences: --

Nursing Orders

TREATMENT CONDITIONS 10

Interval: Until discontinued Occurrences: --

Comments: HOLD and notify provider if ANC LESS than 1000; Platelets LESS than 100,000; ALT/AST GREATER than 2.5 times upper normal limit.

Line Flush

sodium chloride 0.9 % flush 20 mL

Dose: 20 mL Route: intravenous PRN
Start: S

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL Route: intravenous once @ 30 mL/hr for 1 dose

Instructions:
To keep vein open.

Pre-Medications

ondansetron (ZOFTRAN) tablet 8 mg

Dose: 8 mg Route: oral once for 1 dose
Start: S

Chemotherapy

EriBULin (HALAVEN) chemo injection 1.4 mg/m2 (Treatment Plan)

Dose: 1.4 mg/m2 Route: intravenous once over 5 Minutes for 1 dose
Offset: 30 Minutes

Supportive Care

- ☐ **LORAZepam (ATIVAN) injection 1 mg**

Dose: 1 mg Route: intravenous PRN
Start: S

- ☐ **LORAZepam (ATIVAN) tablet 1 mg**

Dose: 1 mg Route: oral PRN
Start: S

Supportive Care

- ☐ **promethazine (PHENERGAN) injection 12.5 mg**

Dose: 12.5 mg Route: injection every 6 hours PRN
Start: S

Discharge Nursing Orders

- ☒ **sodium chloride 0.9 % flush 20 mL**

Dose: 20 mL Route: intravenous PRN

- ☒ **HEParin, porcine (PF) injection 500 Units**

Dose: 500 Units Route: intra-catheter once PRN
Start: S
Instructions:
Concentration: 100 units/mL. Heparin flush for

			Implanted Vascular Access Device maintenance.
--	--	--	---

Post-Medications

- **TBO-FILGRASTIM INJECTION ORDERABLE solution**

Dose: -- Route: subcutaneous

Start: S

Rule-Based Template: RULE ONCBCN

NEUPOGEN WEIGHT BASED

Conditions: Modifications:

Weight > 72 kg	Set dose to 480 mcg
----------------	---------------------

Weight <= 72 kg	Set dose to 300 mcg
-----------------	---------------------

Conditions: Modifications:

Weight > 72 kg	Set dose to 480 mcg
----------------	---------------------

Weight <= 72 kg	Set dose to 300 mcg
-----------------	---------------------