

IP HIDAC (D1,3,5) / IDARUBICIN

Types: ONCOLOGY TREATMENT

Synonyms: HIDAC, ACUTE , AML, MYELO, CYTARA, CYTOSAR, HIGH DOSE, ARAC, ARA, IDARUBICIN, IDA

Cycle 1

Repeat 1 time

Cycle length: 28 days

Perform every 1 day x1

Day 1

Provider Communication

ONC PROVIDER COMMUNICATION 5

Interval: Once

Occurrences: --

Comments:

Use baseline weight to calculate dose. Adjust dose for weight gains/losses of greater than or equal to 10%.

Labs

☒ CBC WITH PLATELET AND DIFFERENTIAL

Interval: Once

Occurrences: --

☒ COMPREHENSIVE METABOLIC PANEL

Interval: Once

Occurrences: --

☒ MAGNESIUM LEVEL

Interval: Once

Occurrences: --

☐ LDH

Interval: Once

Occurrences: --

☐ URIC ACID LEVEL

Interval: Once

Occurrences: --

Line Flush

sodium chloride 0.9 % flush 20 mL

Dose: 20 mL

Route: intravenous

PRN

Start: S

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL

Route: intravenous

once @ 30 mL/hr for 1 dose

Start: S

Instructions:

To keep vein open.

Hydration

sodium chloride 0.9 % infusion

Dose: 100 mL/hr

Route: intravenous

continuous

Start: S

Pre-Medications

ondansetron (ZOFran) 16 mg, dexamethasone (DECADRON) 12 mg in sodium chloride 0.9% 50 mL IVPB

Dose: --

Route: intravenous

once over 15 Minutes for 1 dose

Start: S

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	ONDANSETRON HCL (PF) 4 MG/2 ML INJECTION SOLUTION	Medications	16 mg	Yes	No
	DEXAMETHASONE 4 MG/ML INJECTION	Medications	12 mg	Yes	No

SOLUTION SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	Base	50 mL	Always	Yes
DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	Base		No	Yes

☐ **ondansetron (ZOFTRAN) tablet 16 mg**

Dose: 16 mg	Route: oral	once for 1 dose
Start: S		

☐ **dexamethasone (DECADRON) tablet 12 mg**

Dose: 12 mg	Route: oral	once for 1 dose
Start: S		

☐ **aprepitant (CINVANTI) 130 mg in dextrose (NON-PVC) 5% 130 mL IVPB**

Dose: 130 mg	Route: intravenous	once over 30 Minutes for 1 dose
Start: S	End: S	

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	APREPITANT 7.2 MG/ML INTRAVENOUS EMULSION	Medications	130 mg	Main Ingredient	Yes
	DEXTROSE 5 % IN WATER (D5W) IV SOLP (EXCEL; NON-PVC)	Base	130 mL	Yes	Yes
	SODIUM CHLORIDE 0.9 % IV SOLP (EXCEL;NON-PVC)	Base	130 mL	No	Yes

Nursing Orders

ONC NURSING COMMUNICATION 68

Interval: Until discontinued	Occurrences: --
Comments:	Have patient sign name as cerebellar assessment prior to each dose of Cytarabine.

Provider Communication

ONC PROVIDER COMMUNICATION 54

Interval: Until discontinued	Occurrences: --
Comments:	Provider to confirm dose for patients over 60 years of age for Cytarabine.

Provider Communication

ONC PROVIDER COMMUNICATION 22

Interval: Until discontinued	Occurrences: --
Comments:	Please administer cytarabine on days 1, 3, and 5; patient will receive 2 doses of cytarabine exactly 12 hours apart and each dose will run for 3 hours. Patient will not receive any chemotherapy on rest days 2 and 4.

Chemotherapy

IDArubicin (IDAmycin) 12 mg/m2 in sodium chloride 0.9 % 50 mL chemo IVPB

Dose: 12 mg/m2	Route: intravenous	once over 15 Minutes for 1 dose
		Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	IDARUBICIN 1 MG/ML INTRAVENOUS SOLUTION	Medications	12 mg/m2	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	QS Base	50 mL	Yes	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	QS Base		No	Yes

Chemotherapy

cytarabine PF (CYSTOSAR) 3,000 mg/m2 in dextrose 5% 500 mL chemo IVPB

Dose: 3,000 mg/m2 Route: intravenous every 12 hours over 180 Minutes for 2 doses
Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	CYTARABINE (PF) 2 GRAM/20 ML (100 MG/ML) INJECTION SOLUTION	Medications	3,000 mg/m2	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	QS Base	500 mL	No	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	QS Base	500 mL	Yes	Yes

Supportive Care

prednisolONE acetate (PRED FORTE) 1 % ophthalmic suspension 2 drop

Dose: 2 drop Route: Both Eyes every 4 hours while awake
Start: S

Discharge Nursing Orders

☒ **sodium chloride 0.9 % flush 20 mL**

Dose: 20 mL Route: intravenous PRN

☒ **HEParin, porcine (PF) injection 500 Units**

Dose: 500 Units Route: intra-catheter once PRN
Start: S
Instructions:
Concentration: 100 units/mL. Heparin flush for Implanted Vascular Access Device maintenance.

Day 2

Perform every 1 day x1

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL Route: intravenous once @ 30 mL/hr for 1 dose
Start: S
Instructions:
To keep vein open.

Pre-Medications

- ondansetron (ZOFTRAN) 16 mg, dexamethasone**
☒ **(DECADRON) 12 mg in sodium chloride 0.9% 50 mL IVPB**

Dose: -- Route: intravenous once over 15 Minutes for 1 dose

Start: S

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	ONDANSETRON HCL (PF) 4 MG/2 ML INJECTION SOLUTION	Medications	16 mg	Yes	No
	DEXAMETHASONE 4 MG/ML INJECTION SOLUTION	Medications	12 mg	Yes	No
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	Base	50 mL	Always	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	Base		No	Yes

☐ **ondansetron (ZOFTRAN) tablet 16 mg**

Dose: 16 mg Route: oral once for 1 dose
Start: S

☐ **dexamethasone (DECADRON) tablet 12 mg**

Dose: 12 mg Route: oral once for 1 dose
Start: S

☐ **aprepitant (CINVANTI) 130 mg in dextrose (NON-PVC) 5% 130 mL IVPB**

Dose: 130 mg Route: intravenous once over 30 Minutes for 1 dose
Start: S End: S

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	APREPITANT 7.2 MG/ML INTRAVENOUS EMULSION	Medications	130 mg	Main Ingredient	Yes
	DEXTROSE 5 % IN WATER (D5W) IV SOLP (EXCEL; NON-PVC)	Base	130 mL	Yes	Yes
	SODIUM CHLORIDE 0.9 % IV SOLP (EXCEL;NON-PVC)	Base	130 mL	No	Yes

Chemotherapy

IDarubicin (IDAmycin) 12 mg/m2 in sodium chloride 0.9 % 50 mL chemo IVPB

Dose: 12 mg/m2 Route: intravenous once over 15 Minutes for 1 dose
Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	IDARUBICIN 1 MG/ML INTRAVENOUS SOLUTION	Medications	12 mg/m2	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	QS Base	50 mL	Yes	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS	QS Base		No	Yes

SOLUTION

Day 3

Perform every 1 day x1

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL

Route: intravenous

once @ 30 mL/hr for 1 dose

Start: S

Instructions:

To keep vein open.

Pre-Medications

ondansetron (ZOFTRAN) 16 mg, dexamethasone☒ **(DECADRON) 12 mg in sodium chloride 0.9%****50 mL IVPB**

Dose: --

Route: intravenous

once over 15 Minutes for 1 dose

Start: S

Ingredients:**Name****Type****Dose****Selected****Adds Vol.**ONDANSETRON
HCL (PF) 4 MG/2
ML INJECTION
SOLUTION

Medications

16 mg

Yes

No

DEXAMETHASONE
4 MG/ML
INJECTION
SOLUTION

Medications

12 mg

Yes

No

SODIUM
CHLORIDE 0.9 %
INTRAVENOUS
SOLUTION

Base

50 mL

Always

Yes

DEXTROSE 5 % IN
WATER (D5W)
INTRAVENOUS
SOLUTION

Base

No

Yes

☐ **ondansetron (ZOFTRAN) tablet 16 mg**

Dose: 16 mg

Route: oral

once for 1 dose

Start: S

☐ **dexamethasone (DECADRON) tablet 12 mg**

Dose: 12 mg

Route: oral

once for 1 dose

Start: S

☐ **aprepitant (CINVANTI) 130 mg in dextrose
(NON-PVC) 5% 130 mL IVPB**

Dose: 130 mg

Route: intravenous

once over 30 Minutes for 1 dose

Start: S

End: S

Ingredients:**Name****Type****Dose****Selected****Adds Vol.**APREPITANT 7.2
MG/ML
INTRAVENOUS
EMULSION

Medications

130 mg

Main

Yes

DEXTROSE 5 % IN
WATER (D5W) IV
SOLP (EXCEL;
NON-PVC)

Base

130 mL

Yes

Yes

SODIUM
CHLORIDE 0.9 % IV
SOLP
(EXCEL;NON-PVC)

Base

130 mL

No

Yes

Nursing Orders

ONC NURSING COMMUNICATION 68Interval: Until
discontinued

Occurrences: --

Comments: Have patient sign name as cerebellar assessment prior to each dose of Cytarabine.

Provider Communication

ONC PROVIDER COMMUNICATION 54

Interval: Until discontinued Occurrences: --

Comments: Provider to confirm dose for patients over 60 years of age for Cytarabine.

Provider Communication

ONC PROVIDER COMMUNICATION 22

Interval: Until discontinued Occurrences: --

Comments: Please administer cytarabine on days 1, 3, and 5; patient will receive 2 doses of cytarabine exactly 12 hours apart and each dose will run for 3 hours. Patient will not receive any chemotherapy on rest days 2 and 4.

Chemotherapy

IDarubicin (IDAmycin) 12 mg/m2 in sodium chloride 0.9 % 50 mL chemo IVPB

Dose: 12 mg/m2 Route: intravenous once over 15 Minutes for 1 dose
Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	IDARUBICIN 1 MG/ML INTRAVENOUS SOLUTION	Medications	12 mg/m2	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	QS Base	50 mL	Yes	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	QS Base		No	Yes

Chemotherapy

cytarabine PF (CYSTOSAR) 3,000 mg/m2 in dextrose 5% 500 mL chemo IVPB

Dose: 3,000 mg/m2 Route: intravenous every 12 hours over 180 Minutes for 2 doses
Offset: 30 Minutes

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	CYTARABINE (PF) 2 GRAM/20 ML (100 MG/ML) INJECTION SOLUTION	Medications	3,000 mg/m2	Main Ingredient	Yes
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	QS Base	500 mL	No	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	QS Base	500 mL	Yes	Yes

Dav 5

Perform every 1 dav x1

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL

Route: intravenous

once @ 30 mL/hr for 1 dose

Start: S

Instructions:

To keep vein open.

Pre-Medications

ondansetron (ZOFTRAN) 16 mg, dexamethasone

☒ (DECADRON) 12 mg in sodium chloride 0.9%

50 mL IVPB

Dose: --

Route: intravenous

once over 15 Minutes for 1 dose

Start: S

Ingredients:

Name

Type

Dose

Selected

Adds Vol.

ONDANSETRON
HCL (PF) 4 MG/2
ML INJECTION
SOLUTION

Medications

16 mg

Yes

No

DEXAMETHASONE
4 MG/ML
INJECTION
SOLUTION

Medications

12 mg

Yes

No

SODIUM
CHLORIDE 0.9 %
INTRAVENOUS
SOLUTION

Base

50 mL

Always

Yes

DEXTROSE 5 % IN
WATER (D5W)
INTRAVENOUS
SOLUTION

Base

No

Yes

☐ ondansetron (ZOFTRAN) tablet 16 mg

Dose: 16 mg

Route: oral

once for 1 dose

Start: S

☐ dexamethasone (DECADRON) tablet 12 mg

Dose: 12 mg

Route: oral

once for 1 dose

Start: S

☐ aprepitant (CINVANTI) 130 mg in dextrose (NON-PVC) 5% 130 mL IVPB

Dose: 130 mg

Route: intravenous

once over 30 Minutes for 1 dose

Start: S

End: S

Ingredients:

Name

Type

Dose

Selected

Adds Vol.

APREPITANT 7.2
MG/ML
INTRAVENOUS
EMULSION

Medications

130 mg

Main

Yes

DEXTROSE 5 % IN
WATER (D5W) IV
SOLP (EXCEL;
NON-PVC)

Base

130 mL

Yes

Yes

SODIUM
CHLORIDE 0.9 % IV
SOLP
(EXCEL;NON-PVC)

Base

130 mL

No

Yes

Provider Communication

ONC PROVIDER COMMUNICATION 23

Interval: Until

Occurrences: --

discontinued

Comments:

Schedule prophylactic antibiotics to start on day 5.

Nursing Orders

ONC NURSING COMMUNICATION 68

Interval: Until discontinued

Occurrences: --

Comments:

Have patient sign name as cerebellar assessment prior to each dose of Cytarabine.

Provider Communication

ONC PROVIDER COMMUNICATION 54

Interval: Until discontinued

Occurrences: --

Comments:

Provider to confirm dose for patients over 60 years of age for Cytarabine.

Provider Communication

ONC PROVIDER COMMUNICATION 22

Interval: Until discontinued

Occurrences: --

Comments:

Please administer cytarabine on days 1, 3, and 5; patient will receive 2 doses of cytarabine exactly 12 hours apart and each dose will run for 3 hours. Patient will not receive any chemotherapy on rest days 2 and 4.

Chemotherapy

cytarabine PF (CYSTOSAR) 3,000 mg/m2 in dextrose 5% 500 mL chemo IVPB

Dose: 3,000 mg/m2

Route: intravenous

every 12 hours over 180 Minutes for 2 doses

Offset: 30 Minutes

Ingredients:

Name

Type

Dose

Selected

Adds Vol.

CYTARABINE (PF)
2 GRAM/20 ML (100
MG/ML) INJECTION
SOLUTION

Medications

3,000
mg/m2

Main
Ingredient

SODIUM
CHLORIDE 0.9 %
INTRAVENOUS
SOLUTION

QS Base

500 mL

No

Yes

DEXTROSE 5 % IN
WATER (D5W)
INTRAVENOUS
SOLUTION

QS Base

500 mL

Yes

Yes