

IP NAB-PACLITAXEL (EVERY 7 DAYS)

Types: ONCOLOGY TREATMENT

Synonyms: ABRAXANE, NAB-PACLITAXEL, NAP, ABE, BRAX, BREAST

Cycle 1	Repeat 1 time	Cycle length: 28 days										
Days 1,8,15 Perform every 7 days x3												
Labs												
<input checked="" type="checkbox"/>	COMPREHENSIVE METABOLIC PANEL	Interval: Once Occurrences: --										
<input checked="" type="checkbox"/>	CBC WITH PLATELET AND DIFFERENTIAL	Interval: Once Occurrences: --										
<input checked="" type="checkbox"/>	MAGNESIUM LEVEL	Interval: Once Occurrences: --										
<input type="checkbox"/>	URINALYSIS, AUTOMATED WITH MICROSCOPY	Interval: Once Occurrences: --										
<input type="checkbox"/>	CANCER ANTIGEN 27-29 (CA BR)	Interval: Once Occurrences: --										
Nursing Orders												
	TREATMENT CONDITIONS 7	Interval: Until discontinued Occurrences: --										
	Comments:	HOLD and notify provider if ANC LESS than 1000; Platelets LESS than 100,000.										
Line Flush												
	sodium chloride 0.9 % flush 20 mL	Dose: 20 mL Route: intravenous PRN Start: S										
Nursing Orders												
	sodium chloride 0.9 % infusion 250 mL	Dose: 250 mL Route: intravenous once @ 30 mL/hr for 1 dose										
	Instructions:	To keep vein open.										
Pre-Medications												
<input checked="" type="radio"/>	ondansetron (ZOFRAN) injection 8 mg	Dose: 8 mg Route: intravenous once for 1 dose Start: S										
<input type="radio"/>	ondansetron (ZOFRAN) tablet 16 mg	Dose: 16 mg Route: oral once for 1 dose Start: S										
<input type="radio"/>	ondansetron (ZOFRAN) 16 mg in dextrose 5% 50 mL IVPB	Dose: 16 mg Route: intravenous once over 15 Minutes for 1 dose Start: S										
	Ingredients:	<table border="1"><thead><tr><th>Name</th><th>Type</th><th>Dose</th><th>Selected</th><th>Adds Vol.</th></tr></thead><tbody><tr><td>ONDANSETRON</td><td>Medications</td><td>16 mg</td><td>Main</td><td>No</td></tr></tbody></table>	Name	Type	Dose	Selected	Adds Vol.	ONDANSETRON	Medications	16 mg	Main	No
Name	Type	Dose	Selected	Adds Vol.								
ONDANSETRON	Medications	16 mg	Main	No								

HCL (PF) 4 MG/2
ML INJECTION
SOLUTION
DEXTROSE 5 % IN Base 50 mL Always Yes
WATER (D5W)
INTRAVENOUS
SOLUTION

Pre-Medications

diphenhydrAMINE (BENADRYL) injection 25 mg

Dose: 25 mg Route: intravenous once for 1 dose
Start: S
Instructions:
Administer via slow IV push 30 minutes prior to chemotherapy.

diphenhydrAMINE (BENADRYL) 50 mg in sodium chloride 0.9% 50 mL IVPB

Dose: 50 mg Route: intravenous once over 15 Minutes for 1 dose
Start: S End: S 11:45 AM
Instructions:
Administer 30 minutes prior to chemotherapy.

Ingredients:	Name	Type	Dose	Selected	Adds Vol.
	DIPHENHYDRAMIN E 50 MG/ML INJECTION SOLUTION	Medications	50 mg	Main Ingredient	No
	SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION	Base	50 mL	Yes	Yes
	DEXTROSE 5 % IN WATER (D5W) INTRAVENOUS SOLUTION	Base	50 mL	No	Yes

diphenhydrAMINE (BENADRYL) tablet 25 mg

Dose: 25 mg Route: oral once for 1 dose
Offset: 0 Hours
Instructions:
Administer 30 minutes prior to chemotherapy.

diphenhydrAMINE (BENADRYL) tablet 50 mg

Dose: 50 mg Route: oral once for 1 dose
Offset: 0 Hours
Instructions:
Administer 30 minutes prior to chemotherapy.

famotidine (PEPCID) injection 20 mg

Dose: 20 mg Route: intravenous once for 1 dose
Offset: 0 Hours
Instructions:
Administer 30 minutes prior to chemotherapy.

famotidine (PEPCID) tablet 20 mg

Dose: 20 mg Route: oral once for 1 dose
Offset: 0 Hours
Instructions:
Administer 30 minutes prior to chemotherapy.

acetaminophen (TYLENOL) tablet 650 mg

Dose: 650 mg Route: oral once for 1 dose

Offset: 0 Hours

Instructions:
Administer 30 minutes prior to chemotherapy.

Chemotherapy

**NAB-PAClitaxel (ABRAXANE) chemo infusion
100 mg/m2 (Treatment Plan)**

Dose: 100 mg/m2 Route: intravenous once over 30 Minutes for 1 dose
Offset: 30 Minutes

Supportive Care

LORAZepam (ATIVAN) injection 1 mg

Dose: 1 mg Route: intravenous PRN
Start: S

LORAZepam (ATIVAN) tablet 1 mg

Dose: 1 mg Route: oral PRN
Start: S

Supportive Care

promethazine (PHENERGAN) injection 12.5 mg

Dose: 12.5 mg Route: injection every 6 hours PRN
Start: S

Discharge Nursing Orders

sodium chloride 0.9 % flush 20 mL

Dose: 20 mL Route: intravenous PRN

HEParin, porcine (PF) injection 500 Units

Dose: 500 Units Route: intra-catheter once PRN
Start: S

Instructions:
Concentration: 100 units/mL. Heparin flush for
Implanted Vascular Access Device
maintenance.