

IP VINCRISTINE (EVERY 28 DAYS)

Types: ONCOLOGY TREATMENT

Synonyms: VINC, ONCO, MAINTEN, ALL, ACUTE LYMP, LEUKE

Cycle 1

Repeat 1 time

Cycle length: 28 days

Perform every 1 day x1

Day 1

Provider Communication

ONC PROVIDER COMMUNICATION 5

Interval: Once

Occurrences: --

Comments:

Use baseline weight to calculate dose. Adjust dose for weight gains/losses of greater than or equal to 10%.

Labs

☒ CBC WITH PLATELET AND DIFFERENTIAL

Interval: Once

Occurrences: --

☒ COMPREHENSIVE METABOLIC PANEL

Interval: Once

Occurrences: --

☒ MAGNESIUM LEVEL

Interval: Once

Occurrences: --

☐ LDH

Interval: Once

Occurrences: --

☐ URIC ACID LEVEL

Interval: Once

Occurrences: --

Line Flush

sodium chloride 0.9 % flush 20 mL

Dose: 20 mL

Route: intravenous

PRN

Start: S

Nursing Orders

sodium chloride 0.9 % infusion 250 mL

Dose: 250 mL

Route: intravenous

once @ 30 mL/hr for 1 dose

Start: S

Instructions:

To keep vein open.

Chemotherapy

vinCRistine (ONCOVIN) 2 mg in sodium chloride 0.9 % 50 mL chemo IVPB

Dose: 2 mg

Route: intravenous

once over 15 Minutes for 1 dose

Start: S

Instructions:

DRUG IS A VESICANT. FATAL IF GIVEN INTRATHECALLY. Maximum dose = 2 mg (independent of BSA calculation).

Ingredients:

Name

Type

Dose

Selected

Adds Vol.

VINCRIStINE 1 MG/ML INTRAVENOUS SOLUTION

Medications

2 mg

Main Ingredient

Yes

SODIUM CHLORIDE 0.9 % INTRAVENOUS SOLUTION

QS Base

48 mL

Yes

Yes

Discharge Nursing Orders

☒ **sodium chloride 0.9 % flush 20 mL**

Dose: 20 mL

Route: intravenous

PRN

☒ **HEParin, porcine (PF) injection 500 Units**

Dose: 500 Units

Route: intra-catheter

once PRN

Start: S

Instructions:

Concentration: 100 units/mL. Heparin flush for
Implanted Vascular Access Device
maintenance.