

OP CAPECITABINE

Types: ONCOLOGY TREATMENT

Synonyms: CAPECITABINE, XELODA, CAP, ZELO, BREAST

Cycles 1 to 4	Repeat 4 times	Cycle length: 21 days
Day 1		Perform every 1 day x1
Labs		
<input checked="" type="checkbox"/>	COMPREHENSIVE METABOLIC PANEL	
Interval: --	Occurrences: --	
<input checked="" type="checkbox"/>	CBC WITH PLATELET AND DIFFERENTIAL	
Interval: --	Occurrences: --	
<input checked="" type="checkbox"/>	MAGNESIUM LEVEL	
Interval: --	Occurrences: --	
<input type="checkbox"/>	URINALYSIS, AUTOMATED WITH MICROSCOPY	
Interval: --	Occurrences: --	
<input type="checkbox"/>	CANCER ANTIGEN 27-29 (CA BR)	
Interval: --	Occurrences: --	
Nursing Orders		
	TREATMENT CONDITIONS 7	
Interval: --	Occurrences: --	
Comments:	HOLD and notify provider if ANC LESS than 1000; Platelets LESS than 100,000.	
Take-Home Medications Prior to Treatment		
<input type="radio"/>	capecitabine (XELODA) 500 mg chemo tablet	
Dose: 1,000-1,250 mg/m2	Route: oral	2 times daily
Dispense: --	Refills: 0	
Start: S	End: S+14	
Take-Home Medications Prior to Treatment		
	ondansetron (ZOFRAN) 8 MG tablet	
Dose: 8 mg	Route: oral	PRN
Dispense: --	Refills: 0	
Start: S	End: S+21	
	loperamide (IMODIUM) 2 mg capsule	
Dose: 2 mg	Route: oral	PRN
Dispense: --	Refills: 0	
Start: S	End: S+21	
Nursing Orders		
	ONC NURSING COMMUNICATION 15	
Interval: --	Occurrences: --	
Comments:	Verify that the patient has taken appropriate oral chemotherapy medication from home prescription.	