

## OP RITUXIMAB INTRATHECAL/INTRAOMMAYA

**Types:** ONCOLOGY TREATMENT

**Synonyms:** RITUX, INTRATH, INTRAOMA, OMMA, OMA, 25, THECAL

<b>Cycle 1</b>	Repeat 1 time	Cycle length: 1 day			
<b>Day 1</b>	Perform every 1 day x1				
<b>Appointment Requests</b>					
<b>INFUSION APPOINTMENT REQUEST</b>					
Interval: -- Occurrences: --					
<b>Provider Communication</b>					
<b>ONC PROVIDER COMMUNICATION 58</b>					
Interval: -- Occurrences: --					
Comments: Prior to beginning Rituxan infusion, please check if a Hepatitis B and C serology has been performed within the past 6 months. Hepatitis B and C serologies results: Push F2:11554001 drawn on ***.					
<b>Rituximab Pre-Medications</b>					
<b>acetaminophen (TYLENOL) tablet 650 mg</b>					
Dose: 650 mg Route: oral once for 1 dose					
Start: S					
Instructions: Give 30 minutes before rituximab infusion.					
<b>diphenhydrAMINE (BENADRYL) injection 25 mg</b>					
Dose: 25 mg Route: intravenous once for 1 dose					
Start: S					
Instructions: Give 30 minutes before rituximab infusion.					
<b>sodium chloride 0.9 % infusion 500 mL</b>					
Dose: 500 mL Route: intravenous continuous					
Start: S					
<b>Intrathecal Injections</b>					
<b>RiTUXimab (PF) (RITUXAN) 25 mg INTRATHECAL injection</b>					
Dose: 25 mg Route: intrathecal once for 1 dose					
Start: S End: S					
Instructions: Preservative free for intrathecal use. Total volume 2.5 mL					
<b>Ingredients:</b>	<b>Name</b>	<b>Type</b>	<b>Dose</b>	<b>Selected</b>	<b>Adds Vol.</b>
	RITUXIMAB 10 MG/ML CONCENTRATE, INTRAVENOUS FOR INTRATECAL BEACON PROTOCOL	Medications	25 mg	Main	No Ingredient
<b>Rituximab Infusion Reaction Orders</b>					
<b>mepерidine (DEMEROL) injection 25 mg</b>					
Dose: 25 mg Route: intravenous once PRN					
Start: S					
<b>diphenhydrAMINE (BENADRYL) injection 25 mg</b>					
Dose: 25 mg Route: intravenous once PRN					
Start: S					

**hydrocortisone sodium succinate  
(Solu-CORTEF) injection 100 mg**

Dose: 100 mg      Route: intravenous      once PRN

**famotidine (PEPCID) injection 20 mg**

Dose: 20 mg      Route: intravenous      once PRN  
Start: S

Rituximab Additional Orders

**epINEPHrine (ADRENALIN) 1 mg/1 mL injection  
0.3 mg**

Dose: 0.3 mg      Route: intramuscular      once PRN  
Start: S