Provi	der C	Communication			
		Please place procedure, imaging, and referral orders using your preference list. These orders must be placed outside of the therapy plan to be scheduled.  Details	Interval Every 1 day	Defer Until S	Duration Until discont'd
Labs			Interval	Defer Until	Duration
		CBC with platelet and differential STAT, Status: Future, Expires: S+366, Clinic Collect	Interval Every visit	S	Until discont'd
		Comprehensive metabolic panel STAT, Status: Future, Expires: S+366, Clinic Collect	Every visit	S	Until discont'd
		HLA Typing- Collect Specimens Collect specimen and complete paper form. Charge to (select one): { :11558515}	Every visit	S	Until discont'd
		Potential (circle one): { :11558516}  Recipient HLA Laboratory Tests: { :11558517}			
		Donor HLA Laboratory Tests: { :11558519}			
Nursi	ng P	re-Procedure			
		Start IV at least 20 gauge  Details	Interval Every visit	Defer Until S	Duration Until discont'd
		Large bore tubbing w/ no inline filter  Details	Every visit	S	Until discont'd
		Place a 3-way stop kock Details	Every visit	S	Until discont'd
		Call BMT Provider  Details	Every visit	S	Until discont'd
		Have oxygen & suction set-up on standby during cell infusion Details	Every visit	S	Until discont'd
		Monitor Vital Signs Details	Every visit	S	Until discont'd
		Continuous Cardiac monitoring  Details	Every visit	S	Until discont'd
Pre-M	ledic	ations	_		
		diphenhydrAMINE (BENADRYL) injection 25 mg 25 mg, intravenous, once, Starting S, For 1 Doses	Interval Every visit	<b>Defer Until</b> S	Duration Until discont'd
		acetaminophen (TYLENOL) tablet 650 mg 650 mg, oral, once, Starting S, For 1 Doses	Every visit	S	Until discont'd
		sodium chloride 0.9% infusion 500 mL 500 mL, intravenous, continuous, Starting S	Every visit	S	Until discont'd
Provi	der I	ntra-Procedure			
		Donor Leukocyte Infusion (DLI)	Interval Every visit	<b>Defer Until</b> S	Duration Until discont'd

		Interval	Defer Until	Duration
	Routine, Clinic Performed		20.0. 0	2 0. 0.0.
	Product Type:			
sing T	ransfusion Orders			
		Interval	Defer Until	Duration
	Infuse Donor Leukocytes Details	Every visit	S	Until discont'o
sing F	Post-Procedure			
		Interval	Defer Until	Duration
	Vitals every 15 minutes until discharge  Details	Every visit	S	Until discont'd
	Discharge per guidelines 1 hour  Details	Every visit	S	Until discont'd
	Accompanied by adult at discharge  Details	Every visit	S	Until discont'd
ergeno	cy Medications			
		Interval	Defer Until	Duration
	sodium chloride 0.9% infusion 500 mL 500 mL, intravenous, once PRN, Starting S, For 1 Doses	PRN	S	Until discont'd
	epINEPHrine (ADRENALIN) 1 mg/1 mL injection 0.5 mg 0.5 mg, subcutaneous, once PRN, anaphylaxis, infusion reaction, Starting S.	PRN , For 1 Doses	S	Until discont'd
	hydrocortisone sodium succinate (Solu-CORTEF) injection 100 mg 100 mg, intravenous, once PRN, infusion reaction, Starting S, For 1 Doses	PRN	S	Until discont'd
		PRN	S	Until discont'd