

**Labs**

	Interval	Defer Until	Duration
<input type="checkbox"/> CBC with platelet and differential Routine, Status: Future, Expires: S+366, Clinic Collect, Labs to be drawn at Physicians office unless otherwise noted: for first 3 visits on new starts then every 4 months.	Every visit	S	Until discont'd
<input type="checkbox"/> Comprehensive metabolic panel Routine, Status: Future, Expires: S+366, Clinic Collect, Labs to be drawn at Physicians office unless otherwise noted: for first 3 visits on new starts then every 4 months.	Every visit	S	Until discont'd
<input type="checkbox"/> Sedimentation rate Routine, Status: Future, Expires: S+366, Clinic Collect, Labs to be drawn at Physicians office unless otherwise noted: for first 3 visits on new starts then every 4 months.	Every visit	S	Until discont'd
<input type="checkbox"/> C-reactive protein Routine, Status: Future, Expires: S+366, Clinic Collect, Labs to be drawn at Physicians office unless otherwise noted: for first 3 visits on new starts then every 4 months.	Every visit	S	Until discont'd

**Nursing Orders**

	Interval	Defer Until	Duration
<input type="checkbox"/> Vital signs - T/P/R/BP Per Unit Protocol Obtain vitals prior to injection and then every 15 minutes for 30 minutes. Instruct patient to report symptoms of chills, fever, or pain.	Every visit	S	Until discont'd

**Medications**

	Interval	Defer Until	Duration
<input type="checkbox"/> certolizumab pegol (CIMZIA) 400 mg/2 mL (200 mg/mL x 2) subcutaneous injection 400 mg 400 mg, subcutaneous, once, Starting S, For 1 Doses Administer on Weeks 0, 2, and 4.	Every 2 weeks	S	3 treatments
<input type="checkbox"/> certolizumab pegol (CIMZIA) 400 mg/2 mL (200 mg/mL x 2) subcutaneous injection 400 mg 400 mg, subcutaneous, once, Starting S, For 1 Doses Administer on Week 8 then every 4 weeks thereafter.	Every 4 weeks	S+55	Until discont'd

**Hypersensitivity**

	Interval	Defer Until	Duration
<input type="checkbox"/> acetaminophen (TYLENOL) tablet 650 mg 650 mg, oral, every 4 hours PRN, mild pain (score 1-3), Starting S	PRN	S	Until discont'd
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) tablet 25 mg 25 mg, oral, every 6 hours PRN, itching, Starting S	PRN	S	Until discont'd
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) injection 25 mg 25 mg, intravenous, once PRN, itching, for minor infusion reaction, Starting S, For 1 Doses	PRN	S	Until discont'd
<input type="checkbox"/> diphenhydrAMINE (BENADRYL) injection 50 mg 50 mg, intravenous, once PRN, itching, for severe infusion reaction, Starting S, For 1 Doses	PRN	S	Until discont'd
<input type="checkbox"/> epINEPhrine (ADRENALIN) 1 mg/1 mL injection 0.5 mg 0.5 mL, subcutaneous, once PRN, anaphylaxis, Starting S, For 1 Doses	PRN	S	Until discont'd
<input type="checkbox"/> hydrocortisone sodium succinate (Solu-CORTEF) injection 100 mg 100 mg, intravenous, once PRN, for infusion reaction, Starting S, For 1 Doses	PRN	S	Until discont'd
<input type="checkbox"/> promethazine (PHENERGAN) tablet 25 mg 25 mg, oral, every 6 hours PRN, nausea, vomiting, Starting S	PRN	S	Until discont'd
<input type="checkbox"/> sodium chloride 0.9% infusion 250 mL 250 mL, intravenous, once PRN, Hydration, Starting S, For 1 Doses	PRN	S	Until discont'd