

## Nursing Orders

	Interval	Defer Until	Duration
<input type="checkbox"/> NPO Routine, Clinic Performed	Once	S	1 treatment
<input type="checkbox"/> Insert Peripheral IV or Access Portacath Details	Once	S	1 treatment
<input type="checkbox"/> Nursing communication Obtain baseline Cortisol level.	Once	S	1 treatment

## Pre-Injection

	Interval	Defer Until	Duration
<input type="checkbox"/> Cortisol, free Routine, Status: Future, Expires: S+366, Clinic Collect, Please draw baseline Cortisol level.	Once	S	1 treatment

## Medications

	Interval	Defer Until	Duration
<input type="checkbox"/> cosyntropin (CORTROSYN) injection 250 mcg 250 mcg, intravenous, once, Starting S, For 1 Doses	Once	S	1 treatment

## Post-Injection

	Interval	Defer Until	Duration
<input type="checkbox"/> Cortisol, 30 minutes Routine, Status: Future, Expires: S+366, Clinic Collect, Please draw 30 minutes post medication injection.	Once	S	1 treatment
<input type="checkbox"/> Cortisol, 60 minutes Routine, Status: Future, Expires: S+366, Clinic Collect, Please draw 60 minutes post medication injection.	Once	S	1 treatment
<input type="checkbox"/> sodium chloride 0.9 % flush 10 mL 10 mL, intravenous, PRN, line care, catheter care, Starting S, For 10 Doses	Once	S	1 treatment
<input type="checkbox"/> Discontinue IV Details	Once	S	1 treatment