SOLUMEDROL INDUCTION 1000 MG (METHYLPREDNISOLONE)

		Interval	Defer Until	Duration
	CBC with platelet and differential STAT, Status: Future, Expires: S+366, Clinic Collect	Every visit	S	Until discont'o
	Basic metabolic panel STAT, Status: Future, Expires: S+366, Clinic Collect	Every visit	S	Until discont'c
	Urinalysis, automated with microscopy STAT, Status: Future, Expires: S+366, Clinic Collect, Collect on Day 1 only.	Every visit	S	Until discont'o
rsing C	Orders			
		Interval	Defer Until	Duration
	Insert Peripheral IV or Access Portacath Details	Every visit	S	Until discont'c
	Vital signs - T/P/R/BP Per Unit Protocol Details	Every visit	S	Until discont'o
	Nursing communication: Maintain IV access Details	Every visit	S	Until discont'o
	sodium chloride 0.9% flush 10 mL 10 mL, intravenous, PRN, line care, Starting S, For 10 Doses	Every visit	S	Until discont'c
	sodium chloride 0.9% infusion 250 mL 250 mL, intravenous, at 30 mL/hr, PRN, Flush bag, Starting S	Every visit	S	Until discont'd
	Discontinue IV Details	Every visit	S	Until discont'd
-Medio	cations			
		Interval	Defer Until	Duration
	acetaminophen (TYLENOL) tablet 650 mg 650 mg, oral, once, Starting S, For 1 Doses Administer 30 minutes before infusion.	Every visit	S	Until discont'c
	diphenhydrAMINE (BENADRYL) tablet 25 mg 25 mg, oral, once, Starting S, For 1 Doses Administer 30 minutes before infusion.	Every visit	S	Until discont'd
dicatio	ns			
		Interval	Defer Until	Duration
	methylPREDNISolone sodium succinate (Solu-MEDROL) 1,000 mg in sodium chloride 0.9% 100 mL IVPB	Every 1 day	S	5 treatments

1,000 mg in sodium chloride 0.9% 100 mL IVPB 1,000 mg, intravenous, for 60 Minutes, once, Starting H+30 Minutes, For 1 Doses