

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

[] Other Diagnostic Studies	
[] ECG Pre/Post Op	Routine, Ancillary Performed, Status: Future, Expires: S+365, Pre-Admission Testing
[] Pv carotid duplex	Status: Future, Expires: S+365, Routine, Clinic Performed
[] Us vein mapping lower extremity	Status: Future, Expires: S+365, Routine, Clinic Performed
[] Respiratory	
[] Spirometry pre & post w/ bronchodilator	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
[] Body Plethysmographic lung volumes	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
[] Diffusion capacity	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
[] Spirometry	Routine, Status: Future, Expires: S+365, Pre-Admission Testing Encounter type?
[] Laboratory: Preoperative Testing Labs - All Facilities	
[] COVID-19 qualitative PCR - Nasopharyngeal Swab	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Nasopharyngeal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-Admission Testing
[] CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Comprehensive metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Basic metabolic panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Partial thromboplastin time	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Hepatic function panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Platelet function analysis	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Type and screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] POC pregnancy, urine	Routine, Point Of Care, Pre-Admission Testing
[] Urinalysis, automated with microscopy	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Laboratory: Additional Labs - HMWB, HMSJ, HMSTJ, HMTW	
[] Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
[] CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] HIV 1, 2 antibody	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect

[] Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
[] T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Laboratory: Additional Labs - HMSL, HMW	
[] Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
[] CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Rapid HIV 1 & 2	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
[] Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
[] T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Laboratory: Additional Labs - HMH	
[] Urinalysis screen and microscopy, with reflex to culture	Routine, Status: Future, Expires: S+365, Clinic Collect Specimen Source: Urine Specimen Site: Pre-Admission Testing
[] CBC hemogram	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] HIV Ag/Ab combination	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Syphilis total antibody	Routine, Status: Future, Expires: S+365, Clinic Collect
[] Hepatitis acute panel	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thromboelastograph	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

[] MRSA screen culture	Routine, Status: Future, Expires: S+365, Clinic Collect, Nares Quest Specimen Source: Pre-Admission Testing
[] T3	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] T4	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Prostate specific antigen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Laboratory: Additional for Bariatric patients	
[] Lipid panel	Routine, Status: Future, Expires: S+365, Clinic Collect Has the patient been fasting for 8 hours or more? Pre-Admission Testing
[] hCG qualitative, serum screen	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Total iron binding capacity	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] T4, free	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Thyroid stimulating hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Hemoglobin A1c	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Parathyroid hormone	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] CBC with platelet and differential	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Prothrombin time with INR	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Partial thromboplastin time, activated	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin A level, plasma or serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin B12 level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin D 25 hydroxy level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Copper level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Folate level	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Vitamin B1 level, whole blood	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing
[] Zinc level, serum	Routine, Status: Future, Expires: S+365, Clinic Collect, Pre-Admission Testing

Case Request

[] Case request operating room	Scheduling/ADT, Scheduling/ADT
---------------------------------	--------------------------------

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

() Admit to Inpatient

Diagnosis:

Admitting Physician:

Level of Care:

Patient Condition:

Bed request comments:

Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights.

Pre-op

Isolation Status

[] Airborne isolation status

[] Airborne isolation status

Details

[] Mycobacterium tuberculosis by PCR - If you suspect Tuberculosis, please order this test for rapid diagnostics.

Once, Sputum, Pre-op

[] Contact isolation status

Details

[] Droplet isolation status

Details

[] Enteric isolation status

Details

Precautions

[] Aspiration precautions

Pre-op

[] Fall precautions

Increased observation level needed:

Pre-op

[] Latex precautions

Pre-op

[] Seizure precautions

Increased observation level needed:

Pre-op

Nursing

Vital Signs

[X] Vital signs - T/P/R/BP (per unit protocol)

Routine, Per unit protocol, Pre-op

Activity

[] Strict bed rest

Routine, Until discontinued, Starting S, Pre-op

[] Bed rest with bedside commode

Routine, Until discontinued, Starting S

Bathroom Privileges: with bedside commode
Pre-op

[] Bed rest with bathroom privileges

Routine, Until discontinued, Starting S

Bathroom Privileges: with bathroom privileges
Pre-op

[] Up with assistance

Routine, Until discontinued, Starting S

Specify: Up with assistance
Pre-op

[] Up ad lib

Routine, Until discontinued, Starting S

Specify: Up ad lib
Pre-op

[] Head of bed 30 degrees

Routine, Until discontinued, Starting S

Head of bed: 30 degrees
Pre-op

[] Head of bed flat

Routine, Until discontinued, Starting S

Head of bed: flat
Pre-op

Nursing

[] Insert and Maintain Foley

<input type="checkbox"/> Insert Foley catheter	Routine, Once Type: Size: Urinometer needed: 1) Remove Foley cath POD 1 or POD 2 and Document reason for not removing Foley. (Must be documented on POD 1 or POD 2), Pre-op
<input type="checkbox"/> Foley Catheter Care	Routine, Until discontinued, Starting S Orders: Maintain 1) Remove Foley cath POD 1 or POD 2 and Document reason for not removing Foley. (Must be documented on POD 1 or POD 2), Pre-op
<input checked="" type="checkbox"/> Confirm NPO Status	Routine, Until discontinued, Starting S, Pre-op
<input checked="" type="checkbox"/> Pulse oximetry check	Routine, Daily Current FIO2 or Room Air: On arrival to Pre-Op (Day Surgery), Pre-op
<input type="checkbox"/> No anticoagulants INcluding UNfractionated heparin	Routine, Until discontinued, Starting S Reason for "No" order: Pre-op
<input type="checkbox"/> No anti-platelet agents INcluding aspirin	Routine, Until discontinued, Starting S Reason for "No" order: Pre-op

Notify

<input type="checkbox"/> Notify Physician if current oral intake status could potentially delay procedure start time	Routine, Until discontinued, Starting S, if current oral intake status could potentially delay procedure start time, Pre-op
--	---

Consent

<input type="checkbox"/> Complete consent form	Routine, Once Procedure: Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
--	---

Diet

<input type="checkbox"/> NPO	Diet effective now, Starting S NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-After Midnight	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO-Except meds	Diet effective now, Starting S NPO: Except meds Pre-Operative fasting options: Pre-op
<input type="checkbox"/> NPO after midnight except Meds	Diet effective midnight, Starting S+1 at 12:01 AM NPO: Except meds Pre-Operative fasting options: Pre-op

IV Fluids

Insert and Maintain IV

<input type="checkbox"/> Initiate and maintain IV	
<input type="checkbox"/> Insert peripheral IV	Routine, Once
<input type="checkbox"/> sodium chloride 0.9 % flush	10 mL, intravenous, every 12 hours scheduled
<input type="checkbox"/> sodium chloride 0.9 % flush	10 mL, intravenous, PRN, line care

IV Fluids (Single Response)

() lactated Ringer's infusion	intravenous, continuous, Pre-op
() sodium chloride 0.9 % infusion	intravenous, continuous, Pre-op
() sodium chloride 0.9 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op
() dextrose 5 % and sodium chloride 0.45 % with potassium chloride 20 mEq/L infusion	intravenous, continuous, Pre-op

Medications

Intrathecal Infusion Pumps (Single Response)

() Implanted Intrathecal Infusion Pump with Sodium Chloride 0.9 % intrathecal infusion	
<input type="checkbox"/> Intrathecal drug infusion pump	Routine, Until discontinued, Starting S Medication(s) delivered: Injectable saline Pre-op
<input type="checkbox"/> sodium chloride 0.9 % infusion	intrathecal, continuous, Pre-op
() Implanted Intrathecal Infusion Pump with Baclofen 50 mcg/mL intrathecal infusion	
<input type="checkbox"/> Intrathecal drug infusion pump	Routine, Until discontinued, Starting S Medication(s) delivered: Low concentration baclofen Pre-op
<input type="checkbox"/> baclofen (Lioresal) 50 mcg/mL injection	50 mcg, intrathecal, continuous, Pre-op
() Implanted Intrathecal Infusion Pump with Baclofen 500 mcg/mL intrathecal infusion	
<input type="checkbox"/> Intrathecal drug infusion pump	Routine, Until discontinued, Starting S Medication(s) delivered: High concentration baclofen Pre-op
<input type="checkbox"/> baclofen (Lioresal) 500 mcg/mL intrathecal injection	intrathecal, continuous, Pre-op
() Implanted Intrathecal Infusion Pump with morphine infusion	
<input type="checkbox"/> Intrathecal drug infusion pump	Routine, Until discontinued, Starting S Medication(s) delivered: Intrathecal morphine Pre-op
<input type="checkbox"/> morphine (PF) (Infumorph) in sodium chloride 0.9% intrathecal injection	intrathecal, continuous, Pre-op
() Implanted Intrathecal Infusion Pump with CUSTOM intrathecal infusion	
<input type="checkbox"/> Intrathecal drug infusion pump	Routine, Until discontinued, Starting S Medication(s) delivered: Custom cocktail transferred to new pump Pre-op
<input type="checkbox"/> Custom intrathecal infusion - Specify	intrathecal, continuous, Pre-op

Labs

COVID-19 Qualitative PCR

<input type="checkbox"/> COVID-19 qualitative PCR - Nasopharyngeal swab	STAT For 1 Occurrences Specimen Source: Nasopharyngeal Swab Is this for pre-procedure or non-PUI assessment? Yes Pre-op
---	--

Labs STAT

<input type="checkbox"/> Type and screen	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> CBC and differential	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Partial thromboplastin time	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Basic metabolic panel	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Comprehensive metabolic panel	STAT For 1 Occurrences, Pre-op

<input type="checkbox"/> Platelet function P2Y12	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function analysis	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Bedside Glucose and Notify (Selection Required)	"And" Linked Panel
<input type="checkbox"/> Bedside glucose	Routine, Once, Pre-op
<input type="checkbox"/> Notify Physician of bedside blood glucose LESS than 70 mg/dL and GREATER than 180 mg/dL	Routine, Until discontinued, Starting S, Pre-op
<input type="checkbox"/> Calcium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Magnesium	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Phosphorus	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Pregnancy, urine	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op

Labs - AM

<input type="checkbox"/> Type and screen	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> CBC and differential	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Basic metabolic panel	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Comprehensive metabolic panel	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Partial thromboplastin time	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Prothrombin time with INR	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function P2Y12	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Platelet function analysis	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Calcium	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Magnesium	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Phosphorus	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Pregnancy, urine	AM draw For 1 Occurrences, Pre-op
<input type="checkbox"/> Urinalysis screen and microscopy, with reflex to culture	AM draw For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op

Cardiology

Cardiology

<input type="checkbox"/> ECG Pre/Post Op	Routine, Once Clinical Indications: Interpreting Physician: Pre-op
<input type="checkbox"/> Echocardiogram complete w contrast and 3D if needed	Routine, 1 time imaging, Pre-op

Imaging

X-ray

<input type="checkbox"/> Chest 2 Vw	Routine, 1 time imaging For 1 , Pre-op
<input type="checkbox"/> Chest 1 Vw	Routine, 1 time imaging For 1 , Pre-op

Other Studies

Other Diagnostic Studies

<input type="checkbox"/> Intraoperative monitoring	Routine, Once Procedure: O.R. Location: Modality: Pre-op
--	--

Consults

Ancillary Consults

<input type="checkbox"/> Consult to Case Management	Consult Reason: Pre-op
<input type="checkbox"/> Consult to Social Work	Reason for Consult: Pre-op
<input type="checkbox"/> Consult PT eval and treat	Reasons for referral to Physical Therapy (mark all applicable): Are there any restrictions for positioning or mobility? Please provide safe ranges for HR, BP, O2 saturation(if values are very abnormal): Weight Bearing Status: Pre-op
<input type="checkbox"/> Consult PT wound care	Special Instructions: Location of Wound? Pre-op
<input type="checkbox"/> Consult OT eval and treat	Reason for referral to Occupational Therapy (mark all that apply): Are there any restrictions for positioning or mobility? Please provide safe ranges for HR, BP, O2 saturation(if values are very abnormal): Weight Bearing Status: Pre-op
<input type="checkbox"/> Consult to Nutrition Services	Reason For Consult? Purpose/Topic: Pre-op
<input type="checkbox"/> Consult to Spiritual Care	Reason for consult? Pre-op
<input type="checkbox"/> Consult to Speech Language Pathology	Routine, Once Reason for consult: Pre-op
<input type="checkbox"/> Consult to Wound Ostomy Care nurse	Reason for consult: Reason for consult: Reason for consult: Reason for consult: Consult for NPWT: Reason for consult: Pre-op
<input type="checkbox"/> Consult to Respiratory Therapy	Reason for Consult? Pre-op

Lab Draw

<input checked="" type="checkbox"/> Type and screen	
<input checked="" type="checkbox"/> Type and screen	Once, Pre-op
<input checked="" type="checkbox"/> ABO and Rh confirmation	Once, Blood Bank Confirmation

Blood Products

<input type="checkbox"/> Red Blood Cells	
<input type="checkbox"/> Prepare RBC	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse RBC	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
<input type="checkbox"/> Platelets	
<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Transfusion date: Blood Products

<input type="checkbox"/> Transfuse platelet pheresis	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
Fresh Frozen Plasma	
<input type="checkbox"/> Prepare fresh frozen plasma	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse fresh frozen plasma	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood
Cryoprecipitate	
<input type="checkbox"/> Prepare cryoprecipitate	Routine Transfusion Indications: Transfusion date: Blood Products
<input type="checkbox"/> Transfuse cryoprecipitate	Routine Transfusion duration per unit (hrs): Pre-op
<input type="checkbox"/> sodium chloride 0.9% infusion	250 mL, intravenous, at 30 mL/hr, continuous, Pre-op Administer with blood