Lung Transplant Evaluation [2097] General Case Request - Endoscopy [] Case Request GI - Esophageal manometry Procedure: MANOMETRY, ESOPHAGEAL, Scheduling/ADT, Scheduling/ADT [] Case Request GI - pH Probe Procedure: MANOMETRY, ESOPHAGEAL, Scheduling/ADT, Scheduling/ADT Nursing Nursing [X] Occult blood, stool Conditional Frequency For 3 Occurrences, Stool If patient age is greater than or equal to 50 years; Test three separate stools. IV Fluids Medications Labs Laboratory [X] CBC with platelet and differential Once For 1 Occurrences [X] Comprehensive metabolic panel Once For 1 Occurrences [X] ANA Once For 1 Occurrences [X] Ionized calcium Once Once For 1 Occurrences [X] Magnesium level [X] Nicotine and cotinine, serum Once [X] Phosphorus level Once For 1 Occurrences [X] Hemoglobin A1c Once For 1 Occurrences Once For 1 Occurrences [X] LDH Once For 1 Occurrences [X] Lipid panel [X] Parathyroid hormone Once [X] Prealbumin level Once For 1 Occurrences [] Prostate specific antigen Once For 1 Occurrences if male age greater than or equal to 40 years [X] Sedimentation rate Once For 1 Occurrences [X] Syphilis treponema screen with RPR confirmation Once For 1 Occurrences (reverse algorithm) [X] Thyroid stimulating hormone Once For 1 Occurrences [X] T3 Once For 1 Occurrences [X] T4 Once For 1 Occurrences [X] T4, free Once For 1 Occurrences [X] TB T-SPOT Once For 1 Occurrences Specimen only collected Monday - Thursday before 1200. Specimen cannot be collected the day before a holiday or on a holiday. Call referral lab at 713-441-1866 if you have questions. [X] Toxoplasma gondii antibody, IgG Once For 1 Occurrences [X] Toxoplasma IgM Ab Once For 1 Occurrences [X] Uric acid level Once For 1 Occurrences [X] Creatinine clearance, urine, 24 hour Once For 1 Occurrences **HLA Testing (Single Response)** (X) HLA transplant evaluation Once For 1 Occurrences () HLA antibody testing - pre transplant Once For 1 Occurrences

[] Adenovirus by PCR	Once
Adenovirus qPCR - Viracor	Specimen Source: Plasma Once
Adenovirus qPCR - Viracoi	Once
[] Dit viido by i Oit	Specimen Source: Plasma
[] Cytomegalovirus by PCR	Once
[] Cytomegalovirus antigen	Specimen Source: Plasma Once
[] Cytomegalovirus antigen [X] Cytomegalovirus Ab, IgG	Once
[X] Cytomegalovirus Ab, IgM	Once
[] CMV Genotyping	Once
	CMV Genotyping
[] Epstein Barr Virus (EBV) by PCR	Once Specimen Source: Plasma
[X] Epstein-Barr virus antibody test	Once
[] Herpes simplex virus by PCR	Once
	Specimen Source: Plasma
[X] HSV 1 & 2 glycoprotein G Ab, IgG	Once
[X] HSV type 1/2 combined Ab, IgM	Once
[] Human herpesvirus 6, quantitative PCR	Once
[1 LILIV 7 aDCD Virgoer	Specimen Source:
[] HHV-7 qPCR - Viracor	Once
[] HHV-8 qPCR - Viracor [X] HIV Ag/Ab combination	Once Once
[X] Hepatitis acute panel	Once
[X] Hepatitis acute parier	Once
[X] Hepatitis B surface Ab, quantitative	Once
[X] Hepatitis B core antibody total	Once
[X] Hepatitis A antibody total	Once
[] Hepatitis C virus quantitative by PCR	Once
[] JC virus, quantitative PCR	Once
	Specimen Source:
[X] Varicella zoster virus Ab, IgG	Once
[X] Varicella zoster virus Ab, IgM	Once
Viral Studies - HMSTJ, HMTW, HMSJ, HMWB	
[] Adenovirus by PCR	Once
	Specimen Source: Plasma
[] Adenovirus qPCR - Viracor	Once
[] BK virus by PCR	Once
	Specimen Source: Plasma
[] Cytomegalovirus by PCR	Once
[1] Cytomegalovirus antigon	Specimen Source: Plasma Once
[] Cytomegalovirus antigen [X] Cytomegalovirus Ab, IgG	Once
[X] Cytomegalovirus Ab, IgM	Once
[] CMV Genotyping	Once
[1 Sint Schotyping	CMV Genotyping
[] Epstein Barr Virus (EBV) by PCR	Once Specimen Source: Plasma
[X] Epstein-Barr virus antibody test	Once
[] Herpes simplex virus by PCR	Once Specimen Source: Plasma
[X] HSV 1 & 2 glycoprotein G Ab, IgG	Once
[X] HSV type 1/2 combined Ab, IgM	Once
[] Human herpesvirus 6, quantitative PCR	Once
	Specimen Source:
[] HHV-7 qPCR - Viracor	Once
[] HHV-8 qPCR - Viracor [X] HIV 1, 2 antibody	Once Once

[X] Hepatitis acute panel	Once
[X] Hepatitis B surface Ab, quantitative	Once
[X] Hepatitis B core antibody total	Once
[X] Hepatitis A antibody total	Once
[X] Hepatitis A antibody IgM	Once
Hepatitis C virus quantitative by PCR	Once
[] JC virus, quantitative PCR	Once
[] To thus, quantitative Fort	Specimen Source:
[X] Varicella zoster virus Ab, IgG	Once
[X] Varicella zoster virus Ab, IgM	Once
[74] Variosila 255toi Viido 7tb, igin	
Viral Studies - HMSL, HMW	
	0
[] Adenovirus by PCR	Once
II Adamatima apop Vincara	Specimen Source: Plasma
Adenovirus qPCR - Viracor	Once
[] BK virus by PCR	Once
II. Octobro de la POD	Specimen Source: Plasma
[] Cytomegalovirus by PCR	Once
	Specimen Source: Plasma
[] Cytomegalovirus antigen	Once
[X] Cytomegalovirus Ab, IgG	Once
[X] Cytomegalovirus Ab, IgM	Once
[] CMV Genotyping	Once
	CMV Genotyping
[] Epstein Barr Virus (EBV) by PCR	Once
	Specimen Source: Plasma
[X] Epstein-Barr virus antibody test	Once
[] Herpes simplex virus by PCR	Once
	Specimen Source: Plasma
[X] HSV 1 & 2 glycoprotein G Ab, IgG	Once
[X] HSV type 1/2 combined Ab, IgM	Once
[] Human herpesvirus 6, quantitative PCR	Once
	Specimen Source:
[] HHV-7 qPCR - Viracor	Once
[] HHV-8 qPCR - Viracor	Once
[X] Rapid HIV 1 & 2	Once
[X] Hepatitis acute panel	Once
[X] Hepatitis B surface Ab, quantitative	Once
[X] Hepatitis B core antibody total	Once
[X] Hepatitis A antibody total	Once
[X] Hepatitis A antibody IgM	Once
[] Hepatitis C virus quantitative by PCR	Once
[] JC virus, quantitative PCR	Once
	Specimen Source:
[X] Varicella zoster virus Ab, IgG	Once
[X] Varicella zoster virus Ab, IgM	Once
pri vancena zector virae vib, igin	
Coag Profile	
	Опос Гот 1 Осентропос
[] Antithrombin III level	Once For 1 Occurrences
[] Cardiolipin antibodies	Once For 1 Occurrences
[] Functional protein C	Once For 1 Occurrences
[] Factor V leiden by PCR	Once For 1 Occurrences
[] Functional protein S	Once For 1 Occurrences
[] Heparin PF4 antibody (IgG)	Once For 1 Occurrences
[] Homocystine, plasma	Once For 1 Occurrences
[X] Lupus anticoagulant panel	Once For 1 Occurrences
[] Prothrombin mutation, factor II, by PCR	Once For 1 Occurrences
[X] Prothrombin time with INR	Once For 1 Occurrences
[X] Partial thromboplastin time	Once For 1 Occurrences

ILD Labs Centromere antibody Once Miscellaneous referral test Once Collagen vascular profile Double-stranded DNA (dsDNA) antibodies, Crithidia Once [] Smith antibody Once [] C3 complement component Once [] C4 complement component Once Complement activity, total Once Rheumatoid factor Once Ribonucleic antibody (RNP) Once [] SS-B antibody Once SS-A antibody Once Scl-70 antibody Once Anti-neutrophilic cytoplasmic Abs panel Once Once Jo-1 antibody [] Angiotensin converting enzyme Once [] Hypersensitivity pneumonitis I Once [] Hypersensitivity pneumonitis II Once **ILD Labs - HMSJ** [] Centromere antibody Once [] Miscellaneous referral test Once Collagen vascular profile Double-stranded DNA (dsDNA) antibodies, Crithidia Once [] Smith antibody Once [] C3 complement component Once [] C4 complement component Once Complement activity, total Once Rheumatoid factor Once Ribonucleic antibody (RNP) Once SS-B antibody Once [] SS-A antibody Once Scl-70 antibody Once Anti-neutrophilic cytoplasmic Abs panel Once Jo-1 antibody Once Angiotensin converting enzyme Once Hypersensitivity pneumonitis I Once [] Hypersensitivity pneumonitis II Once **Anemia Labs** [X] Ferritin Once [] Folate Once Haptoglobin Once Once [X] Iron Peripheral smear Once [X] Total iron binding capacity and % saturation Once [X] Glucose-6-phosphate dehydrogenase level Once [] Vitamin B12 Once Microbiology [X] Urinalysis screen and microscopy, with reflex to culture Once For 1 Occurrences Specimen Source: Urine Specimen Site: Once For 1 Occurrences, Sputum [X] Sputum culture if CF patient, order CF cultures

Once For 1 Occurrences, Sputum

Once For 1 Occurrences, Sputum

[X] AFB culture

[X] Fungus culture

[X] Nocardia culture	Once For 1 Occurrences, Sputum
[] Respiratory pathogen panel	Once Nasal swab
Blood Bank	
[X] Type and screen	Once For 1 Occurrences This is the first sample for ABO blood typing.
[X] ABO	Once For 1 Occurrences This is the second sample for ABO confirmation. Order to be entered and drawn 15 minutes after first type and screen and Must be different time and blood draw than the first sample.
Cardiology	
Diagnostics Cardiology	
[X] Echocardiogram complete w contrast and 3D if no	eeded Routine, 1 time imaging For 1 Occurrences with saline contrast to evaluate pulmonary arterial pressures and bubble study to rule out Patent Foramen Ovale (PFO)
[X] ECG 12 lead	Routine, Once For 1 Occurrences Clinical Indications: Other: Other: Lung Transplant Evaluation Interpreting Physician:
[] Pv physiologic arterial lower extremity complete v	
Imaging	
Diagnostics CT	
[] CT Sinus Wo Contrast	Routine, 1 time imaging For 1 Occurrences Lung Transplant Evaluation
[X] CT Chest Wo Contrast	Routine, 1 time imaging For 1 ILD protocol
[X] CT Abdomen and Pelvis without IV Contrast (oral Omnipaque)	
For those with iodine allergies, please order the p	panel with Readi-Cat (barium sulfate).
[X] CT Abdomen Pelvis Wo Contrast	Routine, 1 time imaging For 1
[X] iohexol (OMNIPAQUE) 300 mg iodine/mL oral solution	30 mL, oral, once
[] CT Abdomen and Pelvis without IV Contrast (oral Readi-Cat)	l only - "And" Linked Panel
Ordered as secondary option for those with iodine	e allergies.
[] CT Abdomen Pelvis Wo Contrast	Routine, 1 time imaging For 1
[] barium (READI-CAT 2) 2.1 % (w/v), 2.0 % (w/w) suspension	450 mL, oral, once in imaging, contrast
[] CT Chest WO Abdomen WO Pelvis WO Contrast (Omnipaque)	"And" Linked Panel
For those with iodine allergies, please order the p	panel with Readi-Cat (barium sulfate).
[] CT Chest Wo Contrast Abdomen Wo Contrast Pelvis Wo Contrast	Routine, 1 time imaging For 1 Occurrences High Resolution Chest – prone and supine inspiration expiration
[] iohexol (OMNIPAQUE) 300 mg iodine/mL oral solution	30 mL, oral, once
[] CT Chest WO Abdomen WO Pelvis WO Contrast (Readi-Cat)	"And" Linked Panel
Ordered as secondary option for those with iodine	e allergies.
[] CT Chest Wo Contrast Abdomen Wo Contrast Pelvis Wo Contrast	Routine, 1 time imaging For 1 Occurrences High Resolution Chest – prone and supine inspiration expiration
[] barium (READI-CAT 2) 2.1 % (w/v), 2.0 % (w/w) suspension	450 mL, oral, once in imaging, contrast

[X] XR Chest 2 Vw	Routine, 1 time imaging For 1
[X] XR Panorex	Routine, 1 time imaging For 1 Occurrences Lung Transplant Evaluation
[X] Fluoroscopy Of Diaphragm No Films	Routine, 1 time imaging For 1 Occurrences Lung Transplant Evaluation
[X] Esophagram Complete	Routine, 1 time imaging For 1
[] Modified Barium Swallow Panel with Speech Consult	"And" Linked Panel
Please do not REMOVE SLP eval and treat order from the Swallow.	nis panel. Speech therapy is REQUIRED for imaging for Barium
	ne, 1 time imaging For 1 Occurrences
63	on for SLP? Modified Barium Swallow
NM Bone Scan 3 Phase	T be ORDERED in tandem with Imaging order. Routine, 1 time imaging For 1
Diagnosics US	reduite, I time imaging for i
[X] Us carotid duplex - bilateral	Routine, 1 time imaging
נאן ספ כפוטנוע עעטופא - אוופנפופו	Bilateral; If age is greater than or equal to 50 years
Us duplex venous lower extremity	Routine, 1 time imaging
Us duplex venous upper extremity	Routine, 1 time imaging
Us duplex arterial lower extremity	Routine, 1 time imaging
Us duplex arterial upper extremity	Routine, 1 time imaging
[] US Renal	Routine, 1 time imaging For 1
[] US Abdomen Complete	Routine, 1 time imaging For 1
Diagnostics Nuclear	
[X] NM Lung Perfusion Quantitative with Imaging	Routine, 1 time imaging For 1
[] NM Gastric Emptying	Routine, 1 time imaging For 1
NM Renal Scan Wflow Funct Sgl Int W/Mag 3	Routine, 1 time imaging For 1
[] NM Renal Function Study Non Image (aka GLOFIL)	Routine, 1 time imaging For 1
Other Studies	
Respiratory	
Respiratory Therapy	
[X] Six minute walk w/ pulse oximetry	Routine, Once with oxygen titration as needed if oxygen saturations less that
	90%
[X] Spirometry pre & post w/ bronchodilator, diffusion, lung volumes, MIPS/MEPS	Routine, Once
[X] Arterial blood gas	Once For 1 Occurrences
Rehab	
Consults	
For Physician Consult orders use sidebar	
Physician Consults	
[X] Consult Psychiatry	Reason for Consult? Transplant patient
	Patient/Clinical information communicated?
	Patient/clinical information communicated?
IVI Consult Cardiology	Pageon for Consult?

Reason for Consult?

Patient/Clinical information communicated? Patient/clinical information communicated?

[X] Consult Cardiology

[X] Consult Cardiothoracic Surgery	Reason for Consult?
	Patient/Clinical information communicated?
	Patient/clinical information communicated?
[] Consult Physical Medicine Rehab	Reason for Consult?
	Patient/Clinical information communicated?
	Patient/clinical information communicated?
[] Consult Hepatology	Reason for Consult?
	Patient/Clinical information communicated?
	Patient/clinical information communicated?
[] Consult Nephrology/Hyperten	Reason for Consult?
	Patient/Clinical information communicated?
	Patient/clinical information communicated?
Consults NA Consult to Transplant Conicl World	Decree for Consulto Transmight Developes and Evaluation
DVI O It to Towns I and O in I Want	Decree for Occupied Transcript Book and I for the firm
[X] Consult to Transplant Social Work	Reason for Consult? Transplant Psychosocial Evaluation Organ Transplant: Lung
	Contact Lung Transplant Social Worker for Transplant
	Psychosocial Evaluation at 713-441-5451
[V] Cancult to Transplant Financial Carriage	Reason for Consult? Transplant Financial Counseling
[X] Consult to Transplant Financial Services	Organ Transplant: Lung
	· · · · · · · · · · · · · · · · · · ·
	Contact Lung Transplant Financial Services for transplant financial clearance
[X] Consult to Nutrition Services	Reason For Consult?
	Purpose/Topic:
[] Consult to Speech Language Pathology	Routine, Once For 1 Occurrences
	Reason for consult:
	Ordered with Modified Barium Swallow.

Additional Orders