

## Bedside Thoracentesis Pre Procedure [1337]

Use this order set for bedside thoracentesis only.

For thoracentesis performed by radiology, use the order: Thoracentesis by Radiology

## Nursing Pre Procedure

### Consent for Thoracentesis

- |  |   |
|--|---|
| <input checked="" type="checkbox"/> Complete Consent for Thoracentesis | Routine, Once<br>Consent For: Thoracentesis<br>Place on Chart |
|--|---|

### Thoracentesis Tray and Supplies

For additional supplies, open the "Provide equipment/supplies at bedside" order below

- |   |  |
|---|--|
| <input checked="" type="checkbox"/> Select Tray: (Single Response)          |  |
| <input type="checkbox"/> Arrow thoracentesis tray                           | Routine, Once<br>To bedside  |
| <input type="checkbox"/> Curity thoracentesis tray                          | Routine, Once<br>To bedside  |
| <input checked="" type="checkbox"/> Provide equipment / supplies at bedside | Routine, Once<br>Supplies: Sterile Gloves, Personal Protective Equipment |

### Insert and Maintain IV

- |   |  |
|---|--|
| <input type="checkbox"/> Initiate and maintain IV                         |  |
| <input type="checkbox"/> Thorecentesis Pre Procedure-Insert Peripheral IV | Routine, Once<br>Insert IV if no access      |
| <input type="checkbox"/> sodium chloride 0.9 % flush                      | 10 mL, intravenous, every 12 hours scheduled |
| <input type="checkbox"/> sodium chloride 0.9 % flush                      | 10 mL, intravenous, PRN, line care           |