Nursing IV Fluids Medications XR Arthrograms - HMH, HMSJ, HMSTC Only [] gadobutrol (GADAVIST) 7.5 mL vial solution 7.5 mL, intravenous, once in imaging, contrast, xr arthrogram [] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial 5 mL, intra-articular, once in imaging, contrast, xr arthrogram solution [] iohexol (OMNIPAQUE 180) 20 mL, intra-arterial, once in imaging, contrast Intra-articular route [] iohexol (OMNIPAQUE 300) 30 mL, Other, once in imaging, contrast, xr arthrogram Intra-articular route [] lidocaine 1% buffered with 8.4% sodium bicarbonate 5 mL, Other, once in imaging, xr arthrogram injection Intra-articular route XR Arthrograms - HMW Only gadopentetate dimeglumine (MAGNEVIST) 5 mL vial 5 mL, intra-articular, once in imaging, contrast, xr arthrogram [] gadobutrol (GADAVIST) 7.5 mL vial solution 7.5 mL, intravenous, once in imaging, contrast [] iohexol (OMNIPAQUE 180) 20 mL, intra-arterial, once in imaging, contrast Intra-articular route [] iohexol (OMNIPAQUE 300) 30 mL, Other, once in imaging, contrast, xr arthrogram Intra-articular route [] lidocaine 1% buffered with 8.4% sodium bicarbonate 5 mL, Other, once in imaging, xr arthrogram injection Intra-articular route **XR Arthrograms - HMTW Only** [] gadopentetate dimeglumine (MAGNEVIST) 5 mL vial 5 mL, intra-articular, once in imaging, contrast, xr arthrogram solution [] gadobutrol (GADAVIST) 10 mL vial solution 10 mL, intravenous, once in imaging, contrast [] iohexol (OMNIPAQUE 180) 20 mL, intra-arterial, once in imaging, contrast Intra-articular route [] iohexol (OMNIPAQUE 300) 30 mL, Other, once in imaging, contrast, xr arthrogram Intra-articular route lidocaine 1% buffered with 8.4% sodium bicarbonate 5 mL, Other, once in imaging, xr arthrogram injection Intra-articular route [] diatrizoate meglumine (HYPAQUE) 30 % solution 300 mL, urethral, once in imaging, contrast XR Arthrograms - HMWB Only gadopentetate dimeglumine (MAGNEVIST) 5 mL vial 5 mL, intra-articular, once in imaging, contrast, xr arthrogram solution [] iohexol (OMNIPAQUE 180) 20 mL, intra-arterial, once in imaging, contrast Intra-articular route [] iohexol (OMNIPAQUE 300) 30 mL, Other, once in imaging, contrast, xr arthrogram Intra-articular route lidocaine 2% buffered with 8.4% sodium bicarbonate 5 mL, Other, once in imaging, xr arthrogram injection Intra-articular route **XR Arthrograms - HMSL Only** gadopentetate dimeglumine (MAGNEVIST) 5 mL vial 5 mL, intra-articular, once in imaging, contrast, xr arthrogram solution [] iohexol (OMNIPAQUE 180) 20 mL, intra-arterial, once in imaging, contrast Intra-articular route

XR Arthrogram [2538]

[]	iohexol (OMNIPAQUE 300)	30 mL, Other, once in imaging, contrast, xr arthrogram Intra-articular route
[]	lidocaine 1% buffered with 8.4% sodium bicarbonate injection	5 mL, Other, once in imaging, xr arthrogram Intra-articular route
[]	lidocaine PF (XYLOCAINE) 10 mg/mL (1 %) injection	5 mL, Other, once in imaging, xr arthrogram Intra-articular route
[]	gadobutrol (GADAVIST) vial solution	7.5 mL, intravenous, once in imaging, contrast, xr arthrogram
[]	methylPREDNISolone acetate (DEPO-MEDROL) injection	40 mg, intra-articular, once in imaging, xr arthrogram
[]	bupivacaine (PF) (MARCAINE) 0.25 % (2.5 mg/mL) solution	injection, once in imaging
XR	Arthrograms - HMSTJ Only	
	Arthrograms - HMSTJ Only gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	5 mL, intra-articular, once in imaging, contrast, xr arthrogram
[]	gadopentetate dimeglumine (MAGNEVIST) 5 mL vial	5 mL, intra-articular, once in imaging, contrast, xr arthrogram 10 mL, intra-articular, once in imaging, contrast, xr arthrogram
[]	gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution	
	gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution gadobutrol (GADAVIST) 10 mL vial solution	10 mL, intra-articular, once in imaging, contrast, xr arthrogram
[]	gadopentetate dimeglumine (MAGNEVIST) 5 mL vial solution gadobutrol (GADAVIST) 10 mL vial solution	10 mL, intra-articular, once in imaging, contrast, xr arthrogram 20 mL, intra-arterial, once in imaging, contrast