

Peritoneal Dialysis Only Appears If: **SB IP AND NON-ED PATIENTS**

Default Phase of Care: Dialysis

Procedure

Peritoneal Dialysis Fluids

Continuous Cycling Peritoneal Dialysis - NOT HMSL/HMW/HMH Only Appears If: **SP IP ORDERSET NOT HMSL HMW HMH**

Continuous Cycling Peritoneal Dialysis - No additives (Selection Required)

peritoneal dialysis 1.5% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

Continuous Cycling Peritoneal Dialysis - With additives (Selection Required) Only Appears If: **SP IP ORDERSET NOT HMSL HMW HMH**

peritoneal dialysis 1.5% (Keystone Order)

intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

intraperitoneal, PRN, dialysis use, Dialysis

Continuous Cycling Peritoneal Dialysis - HMH/HMSL Only Only Appears If: **SB IP ORDERSET HMH HMSL ONLY**

Continuous Cycling Peritoneal Dialysis - No additives (Selection Required)

peritoneal dialysis low (2.5 mEq/L) calcium 1.5% (Keystone Order)

6,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 2.5% (Keystone Order)

6,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 4.25% (Keystone Order)

6,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

Continuous Cycling Peritoneal Dialysis -With additives (Selection Required)

peritoneal dialysis low (2.5 mEq/L) calcium 1.5% DEXTROSE (Keystone Order)

6,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 2.5% DEXTROSE (Keystone Order)

6,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 4.25% DEXTROSE (Keystone Order)

6,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

Continuous Cycling Peritoneal Dialysis - HMW Only Only Appears If: **SB IP ORDERSET HMW ONLY**

Continuous Cycling Peritoneal Dialysis - No additives (Selection Required)

peritoneal dialysis low (2.5 mEq/L) calcium 1.5% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 2.5% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 4.25% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

Continuous Cycling Peritoneal Dialysis - With additives (Selection Required)

peritoneal dialysis low (2.5 mEq/L) calcium 1.5% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 2.5% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 4.25% (Keystone Order)

5,000 mL, intraperitoneal, PRN, dialysis use, Dialysis

Day Dwell Peritoneal Dialysis - NOT HMH Only Appears If: **SB IP ORDERSET NOT HMH**

Day Dwell Peritoneal Dialysis - No additives - NOT HMH (Selection Required)

peritoneal dialysis 1.5 % (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

Day Dwell Peritoneal Dialysis - With additives - NOT HMH (Selection Required)

peritoneal dialysis 1.5 % (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

Pharmacy consult to dose antibiotics in peritoneal dialysis solution (Keystone Order)

Routine, Until Discontinued, Starting Today, At: N

Day Dwell Peritoneal Dialysis - HMH ONLY Only Appears If: **SB IP ORDERSET HMH ONLY**

Day Dwell Peritoneal Dialysis - No additives - HMH ONLY (Selection Required)

peritoneal dialysis low (2.5 mEq/L) calcium 1.5% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 2.5% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis low (2.5 mEq/L) calcium 4.25% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

Day Dwell Peritoneal Dialysis - With additives - HMH ONLY (Selection Required)

peritoneal dialysis 1.5% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis , For Day Dwell peritoneal dialysis dwell ONLY.

peritoneal dialysis 2.5% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

Pharmacy consult to dose antibiotics in peritoneal dialysis solution (Keystone Order)

Routine, Until Discontinued, Starting Today, At: N

Mid-Day Peritoneal Dialysis - NOT HMH Only Appears If: **SB IP ORDERSET NOT HMH**

Mid-Day Peritoneal Dialysis - No additives (Selection Required)

peritoneal dialysis 1.5 % (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

Mid-Day Peritoneal Dialysis - With additives (Selection Required)

peritoneal dialysis 1.5 % (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

Mid-Day Peritoneal Dialysis - HMH ONLY Only Appears If: **SB IP ORDERSET HMH ONLY**

Mid-Day Peritoneal Dialysis - No additives (Selection Required)

peritoneal dialysis 1.5% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

2,000 mL, intraperitoneal, Once, For 1 Doses, Dialysis

Mid-Day Peritoneal Dialysis - With additives (Selection Required)

peritoneal dialysis 1.5% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 2.5% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

peritoneal dialysis 4.25% (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis

Manual Flush - Peritoneal Dialysis 1.5% 2,000 mL - NOT HMH Only Appears If: **SB IP ORDERSET NOT HMH**

Manual Flush - peritoneal dialysis 1.5 % 2,000 mL (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis , Administer *** mL In and Out for *** times.

Manual Flush - Peritoneal Dialysis 1.5% 2,000 mL HMH ONLY Only Appears If: **SB IP ORDERSET HMH ONLY**

Manual Flush - peritoneal dialysis 1.5 % 2,000 mL (Keystone Order)

intraperitoneal, Once, For 1 Doses, Dialysis , Administer *** mL In and Out for *** times.

Medications

Medications

alteplase (CATHFLO) 4 mg in water for injection, sterile 10 mL for INTRAPERITONEAL catheter

4 mg, intraperitoneal, Once, For 1 Doses, Dialysis , For peritoneal dialysis catheter clearance ONLY. Instill dose into occluded catheter. Do not force solution into catheter. After a 1-hour dwell time, assess catheter function.

sodium chloride 0.9 % infusion

250 mL, intraperitoneal, Once, For 1 Doses, Dialysis , Add fluid to intraperitoneal space and drain.

Labs

Labs Today

Body fluid cell count with differential

Once, Peritoneal fluid

Microbiology

Gram stain

Once, Peritoneal fluid

Fungus culture

Once, Peritoneal fluid

AFB culture

Once, Peritoneal fluid

Aerobic culture

Once, Peritoneal fluid

Anaerobic culture

Once, Peritoneal fluid