

General

Pre Anesthesia Testing Orders

The ambulatory orders in this section are specifically for Pre Anesthesia Testing. For additional PAT orders, please use 'Future Status' and 'Pre-Admission Testing Phase of Care'

☐ Other Diagnostic Studies (Selection Required)

☒ ECG Pre/Post Op

Routine, Ancillary Performed, Status: Future, Expires: 1 Year, Pre-Admission Testing

☐ Pv carotid duplex

Status: Future, Expires: 1 Year, Routine, Clinic Performed, Pre-Admission Testing

☐ Us vein mapping lower extremity

Status: Future, Expires: 1 Year, Routine, Clinic Performed, Pre-Admission Testing

☐ Methicillin-resistant staphylococcus aureus (MRSA), NAA

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Nares, Pre-Admission Testing

☐ Respiratory (Selection Required)

☐ Spirometry pre & post w/ bronchodilator, diffusion, lung volumes

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry, diffusion, lung volumes

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry pre & post w/ bronchodilator

Routine, Status: Future, Expires: 1 Year, Pre-Admission Testing

☐ Body Plethysmographic lung volumes

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ OP Diffusion Capacity Combination Panel (Selection Required)

☐ Spirometry, diffusion

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry, diffusion, lung volumes

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry, diffusion, MIPS/MEPS

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry, diffusion, lung volumes, MIPS/MEPS

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry pre & post w/ bronchodilator, diffusion

Routine, Status: Future, Expires: 1 Year, Pre-Admission Testing

☐ Spirometry pre & post w/ bronchodilator, diffusion, lung volumes

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry pre & post w/ bronchodilator, diffusion, MIPS/MEPS

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Spirometry pre & post w/ bronchodilator, diffusion, lung volumes, MIPS/MEPS

Routine, Status: Future, Expires: 1 Year, Scheduling/ADT

☐ Laboratory: Preoperative Testing Labs (Selection Required)

☐ COVID-19 qualitative RT-PCR - Nasal Swab

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Specimen Source: Nasal Swab, Is this for pre-procedure or non-PUI assessment?
Yes, Pre-Admission Testing

☐ CBC with platelet and differential

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Comprehensive metabolic panel](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Basic metabolic panel](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Prothrombin time with INR](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Partial thromboplastin time](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Hepatic function panel](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Platelet function analysis](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Hemoglobin A1c](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Type and screen](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] hCG qualitative, serum screen](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] POC pregnancy, urine](#)

Routine, Point Of Care, Pre-Admission Testing

[\[\] Urinalysis, automated with microscopy](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Laboratory: Additional Labs \(Selection Required\)](#)

[\[\] Urinalysis screen and microscopy, with reflex to culture](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] CBC hemogram](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] HIV 1/2 antigen/antibody, fourth generation, with reflexes](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Syphilis treponema screen with RPR confirmation \(reverse algorithm\)](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Acute viral hepatitis panel \(HAV, HBV, HCV\)](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Thromboelastograph](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Thromboelastograph - HMW HMSL HMB HMWB](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Vitamin D 25 hydroxy level](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] MRSA PCR](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Nares, Pre-Admission Testing

[\[\] T3](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] T4](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Thyroid stimulating hormone](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Prostate specific antigen](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[\] Laboratory: Additional for Bariatric patients](#)

[\[X\] Lipid panel](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] hCG qualitative, serum screen](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Total iron binding capacity](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] T4, free](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Thyroid stimulating hormone](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Hemoglobin A1c](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Parathyroid hormone](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] CBC with platelet and differential](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Prothrombin time with INR](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Partial thromboplastin time, activated](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Vitamin A level, plasma or serum](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Vitamin B12 level](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Vitamin D 25 hydroxy level](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Copper level, serum](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Folate level](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Vitamin B1 \(thiamine\)](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[\[X\] Zinc level, serum](#)

Routine, Status: Future, Expires: 1 Year, Clinic Collect, Pre-Admission Testing

[Case Request](#)

[\(\) HEMORRHOIDECTOMY](#)

Panel 1, HEMORRHOIDECTOMY, Scheduling/ADT

[\(\) RESECTION, COLON, LOW ANTERIOR, LAPAROSCOPIC, ROBOT-ASSISTED](#)

Panel 1, RESECTION, COLON, LOW ANTERIOR, LAPAROSCOPIC, ROBOT-ASSISTED, Scheduling/ADT

[\(\) RESECTION, COLON, LOW ANTERIOR, LAPAROSCOPIC](#)

Panel 1, RESECTION, COLON, LOW ANTERIOR, LAPAROSCOPIC, Scheduling/ADT

[\(\) RESECTION, COLON, LAPAROSCOPIC, ROBOT-ASSISTED](#)

Panel 1, RESECTION, COLON, LAPAROSCOPIC, ROBOT-ASSISTED, Scheduling/ADT

() FISSURECTOMY, FISTULECTOMY, OR FISTULOTOMY OF ANUS

Panel 1, FISSURECTOMY, FISTULECTOMY, OR FISTULOTOMY OF ANUS, Scheduling/ADT

() MANOMETRY, ANORECTAL

Panel 1, MANOMETRY, ANORECTAL, Scheduling/ADT

() COLECTOMY, RIGHT, LAPAROSCOPIC, ROBOT-ASSISTED

Panel 1, COLECTOMY, RIGHT, LAPAROSCOPIC, ROBOT-ASSISTED, Laterality: Right, Scheduling/ADT

() COLECTOMY, PARTIAL, LAPAROSCOPIC

Panel 1, COLECTOMY, PARTIAL, LAPAROSCOPIC, Scheduling/ADT

() COLECTOMY, PARTIAL OR TOTAL

Panel 1, COLECTOMY, PARTIAL OR TOTAL, Scheduling/ADT

() HEMICOLECTOMY, RIGHT, LAPAROSCOPIC

Panel 1, HEMICOLECTOMY, RIGHT, LAPAROSCOPIC, Laterality: Right, Scheduling/ADT

() INCISION AND DRAINAGE, ABSCESS, ISCHIORECTAL OR PERIRECTAL

Panel 1, INCISION AND DRAINAGE, ABSCESS, ISCHIORECTAL OR PERIRECTAL, Scheduling/ADT

() INCISION AND DRAINAGE, ABSCESS, RECTUM

Panel 1, INCISION AND DRAINAGE, ABSCESS, RECTUM, Scheduling/ADT

() SIGMOIDECTOMY, LAPAROSCOPIC

Panel 1, SIGMOIDECTOMY, LAPAROSCOPIC, Scheduling/ADT

() CLOSURE, ILEOSTOMY, LAPAROSCOPIC

Panel 1, CLOSURE, ILEOSTOMY, LAPAROSCOPIC, Scheduling/ADT

() CREATION, COLOSTOMY, LAPAROSCOPIC

Panel 1, CREATION, COLOSTOMY, LAPAROSCOPIC, Scheduling/ADT

() Case request operating room

Scheduling/ADT

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) Only Appears If: **SB ACTIVE OR COMPLETED ADMIT ORDER**

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

() Admit to Inpatient

Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights., Pre-op

Nursing

Vital Signs

[] Vital signs - T/P/R/BP (per unit protocol)

Routine, Per Unit Protocol , Pre-op

[] Pulse oximetry

Routine, Daily , Pre-op

Nursing Care

[X] Height and weight

Routine, Once, For 1 Occurrences , Pre-op

[X] Complete consent for

Routine, Once , Pre-op

Notify Physician

[X] Notify Physician if current oral intake status could potentially delay procedure start time

Routine, Until Discontinued, Starting Today, At: N, if current oral intake status could potentially delay procedure start time, Pre-op

Diet

[X] NPO-Except sips with meds

Effective Now, Starting Today, At: N, NPO: Except Sips with meds, An NPO order without explicit exceptions means nothing can be given orally to the patient., Pre-op

[\[\] Oral supplements](#)

Routine, Can/Bottle Supplements: Ensure Clear (for PREOP only), Pre-op

IV Fluids

Insert and Maintain IV

[\[X\] Initiate and maintain IV \(Selection Required\)](#)

[\[X\] Insert peripheral IV](#)

Routine, Once , Pre-op

[\[X\] sodium chloride 0.9 % flush](#)

10 mL, intravenous, Q12H SCH, Pre-op

[\[X\] sodium chloride 0.9 % flush](#)

10 mL, intravenous, PRN, line care, Pre-op

IV Bolus

[\(\) sodium chloride 0.9 % bolus 500 mL](#)

500 mL, intravenous, Administer over: 15 Minutes, Once, For 1 Doses, Pre-op

[\(\) sodium chloride 0.9 % bolus 1000 mL](#)

1,000 mL, intravenous, Administer over: 30 Minutes, Once, For 1 Doses, Pre-op

[\(\) lactated ringer's bolus 500 mL](#)

500 mL, intravenous, Administer over: 15 Minutes, Once, For 1 Doses, Pre-op

[\(\) lactated ringers bolus 1000 mL](#)

1,000 mL, intravenous, Administer over: 30 Minutes, Once, For 1 Doses, Pre-op

Maintenance IV Fluids

[\(\) sodium chloride 0.9 % infusion](#)

75 mL/hr, intravenous, Continuous, Pre-op

[\(\) electrolyte-A \(PLASMA-LYTE A\) infusion](#)

75 mL/hr, intravenous, Continuous, Pre-op

Medications

Antibiotics

[\(\) ceFAZolin \(ANCEF\) IV and metronidazole \(FLAGYL\) IV - For patient GREATER than 120 kg \(Selection Required\) Only Appears If: **SB WEIGHT > 120 KG**](#)

[ceFAZolin \(ANCEF\) IV - For patient GREATER than 120 kg](#)

3 g, intravenous, Once, For 1 Doses, Pre-op, Indication: Surgical Prophylaxis

And

[metronidazole \(FLAGYL\)](#)

500 mg, intravenous, Once, For 1 Doses, Pre-op, Indication: Surgical Prophylaxis

[\(\) ceFAZolin \(ANCEF\) IV and metronidazole \(FLAGYL\) IV - For patient LESS than or EQUAL to 120 kg \(Selection Required\) Only Appears If: **SB WEIGHT <= 120 KG**](#)

[ceFAZolin \(ANCEF\) IV - For patient LESS than or EQUAL to 120 kg](#)

2 g, intravenous, Once, For 1 Doses, Pre-op, Indication: Surgical Prophylaxis

And

[metronidazole \(FLAGYL\)](#)

500 mg, intravenous, Once, For 1 Doses, Pre-op, Indication: Surgical Prophylaxis

[\(\) cefTRIAXone \(ROCEPHIN\) 1 gm IV + metronidazole \(FLAGYL\) 500 mg IV \(Selection Required\)](#)

[cefTRIAXone \(ROCEPHIN\) IV](#)

1 g, intravenous, Administer over: 30 Minutes, Once, For 1 Doses, Pre-op , On hold to the operating room. Administer one hour prior to the opening incision., Indication: Surgical Prophylaxis

And

[metronidazole \(FLAGYL\)](#)

500 mg, intravenous, Once, For 1 Doses, Pre-op , On hold to the operating room. Administer one hour prior to the opening incision., Indication: Surgical Prophylaxis

() cefoxitin (MEFOXIN) IV

2 g, intravenous, Once, For 1 Doses, Pre-op, Indication: Surgical Prophylaxis

() IF allergic to Beta Lactam: levofloxacin (LEVAQUIN) IV and metronidazole (FLAGYL) IV (Selection Required)

levofloxacin (LEVAQUIN) IV solution

500 mg, intravenous, Once, For 1 Doses, Pre-op , On hold to the operating room. Administer one hour prior to the opening incision., Indication: Surgical Prophylaxis

And

metronidazole (FLAGYL)

500 mg, intravenous, Once, For 1 Doses, Pre-op , On hold to the operating room. Administer one hour prior to the opening incision., Indication: Surgical Prophylaxis

Other meds

[X] alvimopan (ENTEREG) capsule

12 mg, oral, Once, For 1 Doses, Pre-op , 1-2 hours before surgery

Contraindications:
** Contraindicated in bowel obstruction patients
** Childs -Pugh B&C
** ESRD
** Active therapeutic use of narcotics

[] gabapentin (NEURONTIN) Oral

300 mg, oral, Once, For 1 Doses, Pre-op , 1-2 hours before surgery

Discontinue if:
** End Stage Renal Disease on hemodialysis
** Pregnant

[] acetaminophen (TYLENOL) oral or acetaminophen (OFIRMEV) IV (Selection Required)

() acetaminophen (TYLENOL) tablet

1,000 mg, oral, Once, For 1 Doses, Pre-op

() acetaminophen (OFIRMEV) intravenous solution (IV Tylenol limit to 3 doses per P&T guideline)

1,000 mg, intravenous, Administer over: 15 Minutes, Q8H, For 3 Doses, Pre-op , IV acetaminophen is restricted to use in patients that cannot tolerate oral, per tube, or rectal routes of administration, and is only approved for post-operative use. If patient status allows, please utilize an alternate route of administration of acetaminophen.

[] HEParin (porcine) SUBCUTANEOUS injection

5,000 Units, subcutaneous, Once, For 1 Doses, Pre-op

VTE

Labs

COVID-19 Qualitative PCR

[] COVID-19 qualitative RT-PCR - Nasal Swab

STAT, For 1 Occurrences, Specimen Source: Nasal Swab, Is this for pre-procedure or non-PUI assessment? Yes, Pre-op

Labs

[X] CBC and differential

Once , Pre-op

[] Basic metabolic panel

Once , Pre-op

[X] Comprehensive metabolic panel

Once , Pre-op

[X] Partial thromboplastin time

Once, Do not draw blood from the arm that has heparin infusion. Do not draw from heparin flushed lines. If there is no other access other than the heparin line, then stop the heparin, flush the line, and aspirate 20 ml of blood to , waste prior to drawing a specimen., Pre-op

[X] Prothrombin time with INR

Once , Pre-op

[X] Bedside glucose

Routine, Once, For 1 Occurrences , Notify Anesthesia for blood glucose level greater than 120 , Pre-op

[] Amylase

Once , Pre-op

[] Calcium

Once , Pre-op

[X] Magnesium

Once , Pre-op

☒ Phosphorus

Once , Pre-op

☐ Prealbumin level

Once , Pre-op

☐ Pregnancy, urine

Once , Pre-op

☒ Type and screen

Once , Pre-op

☒ Urinalysis screen and microscopy, with reflex to culture

Once, Specimen Source: Urine, Specimen must be received in the laboratory within 2 hours of collection., Pre-op

IBD Labs

☐ Sedimentation rate

Once , Pre-op

☐ C-reactive protein

Once , Pre-op

Colon Cancer

☐ Carcinoembryonic antigen

Once , Pre-op

Imaging

Other Studies

Respiratory

Respiratory

☐ Oxygen therapy

Routine, Continuous, Device: Nasal Cannula, Titrate to keep O2 Sat Above: 90%, Indications for O2 therapy: Other, Specify: Pre-op, Rate in liters per minute: 2 Lpm, Pre-op

Rehab

Consults

Additional Orders

Ancillary Consults

☐ Consult to Wound Ostomy Care nurse

Pre-op