

General

Common Present on Admission Diagnosis

<input type="checkbox"/> Acidosis	Details
<input type="checkbox"/> Acute Post-Hemorrhagic Anemia	Details
<input type="checkbox"/> Acute Renal Failure	Details
<input type="checkbox"/> Acute Respiratory Failure	Details
<input type="checkbox"/> Acute Thromboembolism of Deep Veins of Lower Extremities	Details
<input type="checkbox"/> Anemia	Details
<input type="checkbox"/> Bacteremia	Details
<input type="checkbox"/> Bipolar disorder, unspecified	Details
<input type="checkbox"/> Cardiac Arrest	Details
<input type="checkbox"/> Cardiac Dysrhythmia	Details
<input type="checkbox"/> Cardiogenic Shock	Details
<input type="checkbox"/> Decubitus Ulcer	Details
<input type="checkbox"/> Dementia in Conditions Classified Elsewhere	Details
<input type="checkbox"/> Disorder of Liver	Details
<input type="checkbox"/> Electrolyte and Fluid Disorder	Details
<input type="checkbox"/> Intestinal Infection due to Clostridium Difficile	Details
<input type="checkbox"/> Methicillin Resistant Staphylococcus Aureus Infection	Details
<input type="checkbox"/> Obstructive Chronic Bronchitis with Exacerbation	Details
<input type="checkbox"/> Other Alteration of Consciousness	Details
<input type="checkbox"/> Other and Unspecified Coagulation Defects	Details
<input type="checkbox"/> Other Pulmonary Embolism and Infarction	Details
<input type="checkbox"/> Phlebitis and Thrombophlebitis	Details
<input type="checkbox"/> Protein-calorie Malnutrition	Details
<input type="checkbox"/> Psychosis, unspecified psychosis type	Details
<input type="checkbox"/> Schizophrenia Disorder	Details
<input type="checkbox"/> Sepsis	Details
<input type="checkbox"/> Septic Shock	Details
<input type="checkbox"/> Septicemia	Details
<input type="checkbox"/> Type II or Unspecified Type Diabetes Mellitus with Mention of Complication, Not Stated as Uncontrolled	Details
<input type="checkbox"/> Urinary Tract Infection, Site Not Specified	Details

Case Request

<input type="checkbox"/> Case request operating room	Scheduling/ADT, Scheduling/ADT
--	--------------------------------

Planned ICU Admission Post-Operatively (Admit to Inpatient Order) (Single Response)

Patients who are having an Inpatient Only Procedure as determined by CMS and patients with prior authorization for Inpatient Care may have an Admit to Inpatient order written pre-operatively.

<input type="checkbox"/> Admit to Inpatient	Admitting Physician: Level of Care: Patient Condition: Bed request comments: Certification: I certify that based on my best clinical judgment and the patient's condition as documented in the HP and progress notes, I expect that the patient will need hospital services for two or more midnights. Pre-op
---	--

Nursing

Vitals

<input type="checkbox"/> Vital signs - T/P/R/BP	Routine, Per unit protocol On arrival and then routine, Pre-op
Activity	
<input type="checkbox"/> Activity as tolerated	Routine, Until discontinued, Starting S Specify: Activity as tolerated Pre-op
Nursing	
<input type="checkbox"/> Height and weight	Routine, Once On Arrival and document, Pre-op
Consent	
<input type="checkbox"/> Complete consent for	Routine, Once For 1 Occurrences Procedure: Orthotopic Cardiac Transplant Diagnosis/Condition: Physician: Risks, benefits, and alternatives (as outlined by the Texas Medical Disclosure Panel, as appears on Houston Methodist Medical/Surgical Consent forms) were discussed with patient/surrogate? Pre-op
Notify	
<input checked="" type="checkbox"/> Notify Transplant Cardiology Service	Routine, Until discontinued, Starting S, Transplant Cardiology Service at 713-441-1100 upon patient arrival to unit, Pre-op
<input checked="" type="checkbox"/> Notify Transplant Coordinator On-Call	Routine, Until discontinued, Starting S, Transplant Coordinator On-Call at 713-441-5451 upon patient arrival to unit, Pre-op
<input checked="" type="checkbox"/> Notify - Consultants of patient's location	Routine, Until discontinued, Starting S, Consultants of patient's location, Pre-op
<input checked="" type="checkbox"/> Notify team if patient has taken Coumadin dose	Routine, Until discontinued, Starting S, Notify team if patient has taken Coumadin dose
Diet	
<input checked="" type="checkbox"/> NPO	Diet effective now, Starting S NPO: Except meds Pre-Operative fasting options: Give only specifically ordered medications, Pre-op
IV Fluids	
Medications	
Restricted Medications	
<input checked="" type="checkbox"/> No anti-platelet agents EXcluding aspirin	STAT, Until discontinued, Starting S Reason for "No" order: Post-op
<input checked="" type="checkbox"/> No ketorolac (Toradol)	STAT, Until discontinued, Starting S Reason for "No" order: Post-op
<input checked="" type="checkbox"/> No NSAIDs EXcluding aspirin	STAT, Until discontinued, Starting S Reason for "No" order: Post-op
Preoperative Antibiotics (Single Response)	
<input checked="" type="checkbox"/> Ceftriaxone + Vancomycin	
<input checked="" type="checkbox"/> cefTRIAxone (ROCEPHIN) IV	2 g, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op To be dispensed in FBOR and administered by Anesthesia. To be given 1 hour PRIOR to skin incision. Reason for Therapy: Surgical Prophylaxis

<input checked="" type="checkbox"/> vancomycin (VANCOGIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op To be dispensed in FBOR and administered by Anesthesia. To be given 1 hour PRIOR to skin incision. Reason for Therapy:
() Aztreonam + Vancomycin - For severe beta-lactam allergy	
<input type="checkbox"/> aztreonam (AZACTAM) IV	2 g, intravenous, once, For 1 Doses, Pre-op To be dispensed in FBOR and administered by Anesthesia. To be given 1 hour PRIOR to skin incision Reason for Therapy: Surgical Prophylaxis
<input type="checkbox"/> vancomycin (VANCOGIN) IV	15 mg/kg, intravenous, once, For 1 Doses, Pre-op To be dispensed in FBOR and administered by Anesthesia. To be given 1 hour PRIOR to skin incision Reason for Therapy: Surgical Prophylaxis Indication: Increased MRSA rate (operation specific)
() For Vancomycin Allergy - ceFAZolin (ANCEF) IV - For Patients LESS than or EQUAL to 120 kg	
<input type="checkbox"/> ceFAZolin (ANCEF) IV	2 g, intravenous, once, For 1 Doses, Pre-op To be dispensed in FBOR and administered by Anesthesia. To be given 1 hour PRIOR to skin incision Reason for Therapy: Surgical Prophylaxis
() For Vancomycin Allergy - ceFAZolin (ANCEF) IV - For Patients GREATER than 120 kg	
<input type="checkbox"/> ceFAZolin (ANCEF) IV	3 g, intravenous, once, For 1 Doses, Pre-op To be dispensed in FBOR and administered by Anesthesia. To be given 1 hour PRIOR to skin incision Reason for Therapy: Surgical Prophylaxis

Intraoperative Medications

<input checked="" type="checkbox"/> methylPREDNISolone (Solu-MEDROL) IVPB in 100 mL NS	1,000 mg, intravenous, for 15 Minutes, once, For 1 Doses, Pre-op Administer in OR by Anesthesiologist 15 minutes PRIOR to opening of aortic clamp.
<input type="checkbox"/> basiliximab (SIMULECT) 20 mg in sodium chloride 0.9% 50 mL IVPB	20 mg, intravenous, for 30 Minutes, once, For 1 Doses, Pre-op Note to Pharmacy: Once visual is good, coordinator will call.

Labs

COVID-19 Qualitative PCR

<input type="checkbox"/> COVID-19 qualitative PCR - Nasal Swab	STAT For 1 Occurrences Specimen Source: Nasal Swab Is this for pre-procedure or non-PUI assessment? Yes Please select a reason for ordering, if applicable. Pre-op
--	--

Laboratory STAT

<input checked="" type="checkbox"/> CBC with platelet and differential	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Prothrombin time with INR	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Partial thromboplastin time	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Comprehensive metabolic panel	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Hepatic function panel	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Magnesium level	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Phosphorus level	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> LDH	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Uric acid level	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Cholesterol	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Triglycerides	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Fibrinogen	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> Platelet function analysis	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/> West Nile virus antibody IgM, serum	STAT For 1 Occurrences, Pre-op

<input type="checkbox"/>	HLA antibody testing - pre transplant	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	HLA deceased donor	STAT For 1 Occurrences, Pre-op
<input type="checkbox"/>	HLA stored sample - crossmatch	STAT For 1 Occurrences, Pre-op
<input checked="" type="checkbox"/>	Urinalysis screen and microscopy, with reflex to culture	STAT For 1 Occurrences Specimen Source: Urine Specimen Site: Pre-op
<input type="checkbox"/>	hCG qualitative, urine screen	STAT For 1 Occurrences, Pre-op

Transmission Donor/Baseline Serology - HMH, HMSJ

<input checked="" type="checkbox"/>	HIV Ag/Ab combination	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Human immunodeficiency virus 1 (HIV-1), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B surface antigen	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B surface antibody	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B core antibody, total	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B virus (HBV), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis C antibody	Once Perform regardless recipient HCV status, Pre-op
<input checked="" type="checkbox"/>	Hepatitis C virus (HCV), quantitative PCR	Once Perform regardless recipient HCV status, Pre-op

Transmission Donor/Baseline Serology - HMH, HMSJ

<input checked="" type="checkbox"/>	HIV Ag/Ab combination	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	HIV-1 RNA, qualitative TMA	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B surface antigen	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B surface antibody	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B core antibody, total	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis B virus (HBV), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input checked="" type="checkbox"/>	Hepatitis C antibody	Once Perform regardless recipient HCV status, Pre-op
<input checked="" type="checkbox"/>	Hepatitis C virus (HCV), quantitative PCR	Once Perform regardless recipient HCV status, Pre-op

Transmission Donor/Baseline Serology - HMSL/HMW

<input type="checkbox"/>	Rapid HIV 1 & 2	Once
<input type="checkbox"/>	Human immunodeficiency virus 1 (HIV-1), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/>	Hepatitis B surface antigen	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/>	Hepatitis B surface antibody	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/>	Hepatitis B core antibody, total	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/>	Hepatitis B virus (HBV), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/>	Hepatitis C antibody	Once Perform regardless recipient HCV status, Pre-op
<input type="checkbox"/>	Hepatitis C virus (HCV), quantitative PCR	Once Perform regardless recipient HCV status, Pre-op

Transmission Donor/Baseline Serology - HMSL/HMW

<input type="checkbox"/> Rapid HIV 1 & 2	Once
<input type="checkbox"/> HIV-1 RNA, qualitative TMA	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B surface antigen	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B surface antibody	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B core antibody, total	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B virus (HBV), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis C antibody	Once Perform regardless recipient HCV status, Pre-op
<input type="checkbox"/> Hepatitis C virus (HCV), quantitative PCR	Once Perform regardless recipient HCV status, Pre-op

Transmission Donor/Baseline Serology - HMCL, HMTW, HMWB

<input type="checkbox"/> HIV 1, 2 antibody	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Human immunodeficiency virus 1 (HIV-1), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B surface antigen	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B surface antibody	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B core antibody, total	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B virus (HBV), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis C antibody	Once Perform regardless recipient HCV status, Pre-op
<input type="checkbox"/> Hepatitis C virus (HCV), quantitative PCR	Once Perform regardless recipient HCV status, Pre-op

Transmission Donor/Baseline Serology - HMCL, HMTW, HMWB

<input type="checkbox"/> HIV 1, 2 antibody	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> HIV-1 RNA, qualitative TMA	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B surface antigen	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B surface antibody	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B core antibody, total	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis B virus (HBV), quantitative PCR	Once Perform on HBV negative recipient, Pre-op
<input type="checkbox"/> Hepatitis C antibody	Once Perform regardless recipient HCV status, Pre-op
<input type="checkbox"/> Hepatitis C virus (HCV), quantitative PCR	Once Perform regardless recipient HCV status, Pre-op

Blood Products

<input type="checkbox"/> Type and screen	Once, Pre-op
--	--------------

<input type="checkbox"/> Prepare RBC	Routine Transfusion Indications: Perioperative Special Requirements: Irradiated Transfusion date: This is a transplant patient. All blood products to be irradiated and leukocyte reduced If recipient is CMV Negative, then give only CMV Negative blood. Pre-op
--------------------------------------	--

<input type="checkbox"/> Prepare platelet pheresis	Routine Transfusion Indications: Perioperative Special Requirements: Irradiated Transfusion date: This is a transplant patient. All blood products to be irradiated and leukocyte reduced. If recipient are CMV Negative, then give only CMV Negative blood. Pre-op
--	--

Cardiology

Cardiology

<input checked="" type="checkbox"/> ECG 12 lead	STAT, Once Clinical Indications: Other: Other: Pre-operative Interpreting Physician: Pre-op
---	---

Imaging

Diagnostic X-Ray

<input checked="" type="checkbox"/> Chest 1 Vw Portable	STAT, 1 time imaging, Starting S at 1:00 AM For 1 on arrival to unit, Pre-op
---	--

Other Studies

Respiratory

Respiratory

<input type="checkbox"/> Oxygen therapy	Routine, Continuous Device: Nasal Cannula Rate in liters per minute: Rate in tenths of a liter per minute: O2 %: Titrate to keep O2 Sat Above: 90% Indications for O2 therapy: Pre-op
---	--

Rehab

Consults

For Physician Consult orders use sidebar

Additional Orders